# Dec 2023 Math Track Meet

University of North Dakota

December 19, 2023

## Contents

Grades 7 & 8 Tests and Answer Keys	<b>2</b>
Grades 9 & 10 Tests and Answer Keys	22
Grades 11 & 12 Tests and Answer Keys	45

School \_\_\_\_\_

Calculators are allowed.

1. Find and simplify

$$\frac{5}{6} + \frac{4}{5} - \frac{3}{4} - \frac{2}{3}$$

Write your answer as a simple fraction where the numerator and denominator have no common factors.

	,
. A class has 22 students. Every student in the class has a dog, a cat, or both a	cat
and a dog. If 18 students have a dog (with or without a cat), and 9 students have	ave
a cat (with or without a dog), how many students have both a cat and a dog?	
	(3  nts) 2

- 3. A right triangle has one leg exactly twice as long as the other leg. If the area of the triangle is 25 square centimeters, what is the length of the hypotenuse (in centimeters)? Write your answer to two decimal places.
- 4. A recipe calls for  $1\frac{1}{2}$  cups of sugar and 4 cups of flour. If we increase the recipe to use  $2\frac{1}{2}$  cups of sugar, how many cups of flour should we use? Write your answer as a mixed number where the numerator and the denominator of the fraction have no common factors.
- 5. What is the largest prime factor of 2023?
- 6. Four students take a quiz. The highest score is 10, and the lowest is 2. If the mean (average) score is 7, what is the median score?
- 7. A rectangular prism is 8 cm long, 4 cm wide, and 3 cm high. What is the total area (in square cm) of all of the faces of the prism?

### INDIVIDUAL TEST #1 Grades 7/8

Team	Name
Student	Name
• • •	
ninator have	
	(2 pts) 1
r both a cat udents have l a dog?	
0	(3 pts) 2
If the area potenuse (in	
	(3 pts) 3
the recipe to ur answer as tion have no	
	(3 pts) 4
	(3 pts) 5
If the mean	
	(3 pts) 6
he total area	
	(3 pts) 7
ТОТ	CAL POINTS

School \_\_\_\_

Calculators are allowed.

1. Find and simplify

 $\frac{5}{6} + \frac{4}{5} - \frac{3}{4} - \frac{2}{3}$ 

Write your answer as a simple fraction where the numerator and denominate no common factors.

- 2. A class has 22 students. Every student in the class has a dog, a cat, or both and a dog. If 18 students have a dog (with or without a cat), and 9 student a cat (with or without a dog), how many students have both a cat and a dog
- 3. A right triangle has one leg exactly twice as long as the other leg. If th of the triangle is 25 square centimeters, what is the length of the hypoten centimeters)? Write your answer to two decimal places.
- 4. A recipe calls for  $1\frac{1}{2}$  cups of sugar and 4 cups of flour. If we increase the red use  $2\frac{1}{2}$  cups of sugar, how many cups of flour should we use? Write your ans a mixed number where the numerator and the denominator of the fraction h common factors.
- 5. What is the largest prime factor of 2023?
- 6. Four students take a quiz. The highest score is 10, and the lowest is 2. If the (average) score is 7, what is the median score?
- 7. A rectangular prism is 8 cm long, 4 cm wide, and 3 cm high. What is the tot (in square cm) of all of the faces of the prism?

or have	
	(2 pts) 1. $\frac{13}{60}$
n a cat s have g?	
	(3 pts) 2. <u>5</u>
ne area use (in	
	(3 pts) 3. <u>11.18</u>
cipe to swer as ave no	
	(3 pts) 4. $6\frac{2}{3}$
	(3 pts) 5. <u>17</u>
e mean	
	(3 pts) 6. <u>8</u>
al area	
	(3 pts) 7. <u>136</u>

Key

Team Name \_\_\_\_\_

Student Name \_\_\_\_\_

INDIVIDUAL TEST #1 Grades 7/8

Team Name

Student Name

Calculators are allowed.

School

1. Find and simplify

 $\frac{5}{6} + \frac{4}{5} - \frac{3}{4} - \frac{2}{3}$ .

Write your answer as a simple fraction where the numerator and denominator have no common factors.

 $\frac{5}{6} + \frac{4}{5} - \frac{3}{4} - \frac{2}{3} = \frac{50 + 48 - 45 - 40}{60} = \frac{13}{60}$ 

2. A class has 22 students. Every student in the class has a dog, a cat, or both a cat and a dog. If 18 students have a dog (with or without a cat), and 9 students have a cat (with or without a dog), how many students have both a cat and a dog?

If 22 students have a pet, and 18 have a dog, 4 must only have a cat. If 9 have a cat at all, 5 must have both.

3. A right triangle has one leg exactly twice as long as the other leg. If the area of the triangle is 25 square centimeters, what is the length of the hypotenuse (in centimeters)? Write your answer to two decimal places.

Let the legs have lengths *a* and 2*a*. Then the area must be  $\frac{1}{2} \times a \times 2a = a^2$ . Since  $a^2 = 25$ , a = 5 and the lengths of the legs are 5 cm and 10 cm. So the length of the hypotenuse must be  $\sqrt{5^2 + 10^2} = \sqrt{125} = 11.18$ .

4. A recipe calls for  $1\frac{1}{2}$  cups of sugar and 4 cups of flour. If we increase the recipe to use  $2\frac{1}{2}$  cups of sugar, how many cups of flour should we use? Write your answer as a mixed number where the numerator and the denominator of the fraction have no common factors.

$$\frac{5/2}{3/2} = \frac{x}{4} \Rightarrow x = \frac{20}{3} = 6\frac{2}{3}$$

5. What is the largest prime factor of 2023?

The usual tests show that 2023 is not divisible by 2, 3, or 5. However, a calculator can show that 2023/7 = 289. We might remember that  $289 = 17^2$ or we might need to keep checking potential prime factors of 289 to discover this. Either way,  $2023 = 7 \times 17 \times 17$  and 17 is the largest prime factor of 2023.

		13
		60
(2pts)	1.	



(3pts) 3. **11.18** 

(3pts) 5. \_\_\_\_17\_\_\_\_

(3pts) 4. \_\_\_\_\_

6.	Four students take a quiz. The highest score is 10, and the lowest is 2. If the mean (average) score is 7, what is the median score?	(3pts) 6.	8
	Since the mean is 7, the total must be $7x4 = 28$ . Subtracting 10 and 2, the middle two values must sum to 16. They could be 10 and 6, 9 and 7, or 8 and but no matter what, their average, and the median for the whole set, must be 8	l 8, 3.	
7.	A rectangular prism is 8 cm long, 4 cm wide, and 3 cm high. What is the total area (in square cm) of all of the faces of the prism?	(3pts) 7.	136
	There are 2 faces which are rectangles with sides of lengths equal to each pair of lengths. That is, 2 that are 8 cm by 4 cm, 2 that are 8 cm by 3 cm, and 2 that are 4 cm by 3 cm. So the total surface area is $2 \times 8 \times 4 + 2 \times 8 \times 3 + 2 \times 4 \times 3 = 136 \text{ cm}^2$ .		
	mm TOTA	L POINTS	

	UND MATHEMATICS TRA University of North Dakota December 19, 2023	ACK MEET			INDIVIDUAL TEST #2 Grades 7/8
	School			Tea	m Name
	Calculators are $\mathbf{NOT}$ allowed	ed.		Stude	nt Name
1.	Tom dug a circular quarry in deep. Callie also dug a circ deep. Whose quarry will hol	n his sandbox tha cular quarry that d the most wate	at is 8 inches in diar is 7 inches in dian r? Tom or Callie?	neter and 4 inches neter and 5 inches	
					(2 pts) 1
2.	Evaluate the expression: $3 +$	$-3^2 - 3\sqrt{9} + 9 \div$	3		
					(3 pts) 2
3.	Find all solutions for $x$ :				
		$x^2 - 4x = -$	2-x		
					(3 pts) 3
4.	Given values $a$ and $b$ on a r distance between $a$ and $b$ ?	eal number line,	which expression w	ill always give the	
	A. $a - b$ B. $b$	- <i>a</i>	C. $ a - b $	D. $ a + b $	
					(3 pts) 4
5.	Find the solution to the syst answers if possible.	tem of equations	and put them in $(x$	,y) form. Simplify	
		-4x + 2y =	= -5		
		8x + y =	= 5		
					(3 pts) 5
6.	Factor completely: $x^4 - 169$	$x^2$			
					(3 pts) 6
7.	Simplify the expression with	no negative exp	onents.		
		$\frac{-3a^4b^{-6}}{18a^{-2}b^7c}$			
					(3 pts) 7
					TOTAL POINTS

UND MATHEMATICS TRACH University of North Dakota December 19, 2023	K MEET	II	NDIVIDUAL TEST #2 Grades 7/8
School		Team	Name
Calculators are <b>NOT</b> allowed.	Key	Student	Name
Tom dug a circular quarry in hi deep. Callie also dug a circular deep. Whose quarry will hold th	is sandbox that is 8 inches i r quarry that is 7 inches in he most water? Tom or Cal	n diameter and 4 inches a diameter and 5 inches llie?	
			(2 pts) 1. <u>Tom</u>
Evaluate the expression: $3 + 3^2$	$-3\sqrt{9} + 9 \div 3$		
-			(3 pts) 2. <u>6</u>
Find all solutions for $x$ :	$x^2 - 4x = -2 - x$		
			(3 pts) 3. $x = 1, 2$
Given values $a$ and $b$ on a real distance between $a$ and $b$ ?	number line, which express	ion will always give the	
A. $a - b$ B. $b - a$	a C. $ a-b $	D. $ a + b $	
			(3 pts) 4. <u>C.</u>
Find the solution to the system answers if possible.	of equations and put them	in $(x, y)$ form. Simplify	

$$-4x + 2y = -5$$
$$8x + y = 5$$

6. Factor completely:  $x^4 - 169x^2$ 

1.

2.

3.

4.

5.

7. Simplify the expression with no negative exponents.

$$\frac{-3a^4b^{-6}c}{18a^{-2}b^7c^5}$$

(3 pts) 7.  $\frac{-a^6}{6b^{13}c^4}$ 

(3 pts) 5.  $(\frac{3}{4}, -1)$ 

(3 pts) 6.  $x^2(x+13)(x-13)$ 

INDIVIDUAL TEST #3 Grades 7/8





- 4. Two six-sided dice are rolled. What is the probability that the product of the two numbers is a perfect square?
- 5. If you add all the dates of the Sundays in a month and the total is 75, what day of the week is the 17th day of the month?
- 6. Find the set of all x for which  $(x + 1)^4 5(x + 1)^2 + 4 = 0$ .
- 7. Jay wants to buy a phone which has a regular price of \$449. If Jay lives in a city with 5% sales tax and has saved up \$420, what is the smallest whole number percentage discount on the phone which will allow Jay to buy the phone?

Team Name \_\_\_\_\_

Student Name \_\_\_\_\_

(2 pts) 1. \_\_\_\_\_

(3 pts) 2.

(3 pts) 3. \_\_\_\_\_

(3 pts) 4. \_\_\_\_\_

(3 pts) 5. \_\_\_\_\_

(3 pts) 6. \_\_\_\_\_

(3 pts) 7. \_\_\_\_\_

TOTAL POINTS \_\_\_\_\_

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_

Calculators are allowed.

INDIVIDUAL TEST #3 Grades 7/8

Team Name \_\_\_\_\_

Student Name \_\_\_\_\_

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_

Calculators are allowed.

1. Evaluate the following expression as a decimal to the nearest thousandth.

 $\frac{3+4\times 5+2^{1+1}+1}{2^{3+4\div 2}}$ 

- 2. Jack and Jill start running laps of the school track (in the same direction) when the school clock shows the time as 3:00:00 PM. Jack takes 2 minute and 45 seconds to run each lap and Jill takes 3 minutes and 15 seconds. They run until the first time that they reach the starting line at exactly the same time. What time does the school clock show when they stop?
- 3. The rectangle in the figure below has an area of  $32 \text{ cm}^2$ . What is the area in  $\text{cm}^2$ of the shaded region inside the rectangle and exterior to the circles?

4. Two six-sided dice are rolled. What is the probability that the product of the two numbers is a perfect square?

- 5. If you add all the dates of the Sundays in a month and the total is 75, what day of the week is the 17th day of the month?
- 6. Find the set of all x for which  $(x + 1)^4 5(x + 1)^2 + 4 = 0$ .
- 7. Jay wants to buy a phone which has a regular price of \$449. If Jay lives in a city with 5% sales tax and has saved up \$420, what is the smallest whole number percentage discount on the phone which will allow Jay to buy the phone?

(2 pts) 1. \_\_0.875\_\_

(3 pts) 2. <u>3:35:45 PM</u>

(3 pts) 3.  $32 - 8\pi \approx 6.87$ 

(3 pts) 4.  $\frac{2}{9}$  or 0.22 or 22%

(3 pts) 5. Tuesday

 $(3 \text{ pts}) 6. \{-3, -2, 0, 1\}$ 

(3 pts) 7. 11



Key

School \_\_\_\_

Calculators are allowed.

1. Evaluate the following expression as a decimal to the nearest thousandth.

 $\frac{3+4\times 5+2^{1+1}+1}{2^{3+4\div 2}}$ 

Solutions

Solution:

$$\frac{3+4\times5+2^{1+1}+1}{2^{3+4\div2}} = \frac{28}{32} = \boxed{0.875}$$

2. Jack and Jill start running laps of the school track (in the same direction) when the school clock shows the time as 3:00:00 PM. Jack takes 2 minute and 45 seconds to run each lap and Jill takes 3 minutes and 15 seconds. They run until the first time that they reach the starting line at exactly the same time. What time does the school clock show when they stop?

Solution: The LCM of the lap times, 165 seconds and 195 seconds, is 2145 which is 35 minutes 45 seconds. Therefore the time on the clock will be 3:35:45 PMwhen they reach start line together.

3. The rectangle in the fig area in  $\rm cm^2$ of the shaded region in

(3 pts) 3.  $32 - 8\pi \approx 6.87$ 

**Solution:** The length of rectangle is 4r where r is the radius of each circle. The width of the rectangle is 2r. Therefore  $8r^2 = 32$  or r = 2. The area inside the rectangle but outside the circles is given by  $32 - 2\pi(2)^2 = \overline{32 - 8\pi = 6.87}$ 

4. Two six-sided dice are rolled. What is the probability that the product of the two numbers is a perfect square?

**Solution:** The possibilities for the product of two numbers being a perfect square are (1,1), (2,2), (3,3), (4,4), (5,5), (6,6), (1,4), (4,1). Therefore the probability is  $\frac{8}{36} = \boxed{\frac{2}{9} = 0.\overline{2}}$  or  $\boxed{22\%}$ 

$$3 + 4 \times 5 + 2^{1+1} + 1$$
 28





Student Name	
--------------	--

(2 pts) 1. \_\_0.875\_\_

Team Name \_\_\_\_

(3 pts) 2. <u>3:35:45 PM</u>

(3 pts) 4.  $\frac{2}{9}$  or 0.22 or 22%

5. If you add all the dates of the Sundays in a month and the total is 75, what day of the week is the 17th day of the month?

**Solution:** The only possibility for the dates a week apart to add up to 75 is if the day of the week lies on the dates  $\{1, 8, 15, 22, 29\}$ . Therefore the 15th of the month is Sunday which makes the 17th a Tuesday.

6. Find the set of all x for which  $(x + 1)^4 - 5(x + 1)^2 + 4 = 0$ .

**Solution:** Let  $u = (x+1)^2$  then  $u^2 - 5u + 4 = 0 \Rightarrow (u-4)(u-1) = 0 \Rightarrow u = 1$  or 4. So,  $x+1 = \pm 1$  or  $x+1 = \pm 2$  which gives x = 0, -2 or x = 1, -3. Therefore the set of solutions is  $\boxed{\{-3, -2, 0, 1\}}$ 

7. Jay wants to buy a phone which has a regular price of \$449. If Jay lives in a city with 5% sales tax and has saved up \$420, what is the smallest whole number percentage discount on the phone which will allow Jay to buy the phone?

Solution: Accounting for tax, the highest price phone Jay can buy is 420/(1.05) = 400. Therefore, the discount should be at least \$49 which is 49/449 = 10.91% or 11%.

(3 pts) 5. Tuesday

$$(3 \text{ pts}) 6. \{-3, -2, 0, 1\}$$

(3 pts) 7. <u>11</u>

School \_\_\_\_\_

Calculators are **NOT** allowed

IN	NDIVIDUAL TEST $#4$
	Grades 7/8
Team	Name

	Calculators are <b>NOT</b> allowed.	Student Name
1.	Evaluate $1+3 -4^2-(-8) +2 3+(-5)^2 $	
		(2 pts) 1
2.	A math club at Oxford High School consists of only ninth-grade and tenth-grade students. If $\frac{3}{10}$ of the students in the math club are from ninth grade and the are 60 more tenth-grade students than ninth-grade students, how many tenth-grade students are there in the math club?	rade here rade
		(3 pts) 2
3.	Two standard six-sided dice are thrown, and the dice are considered fair. What the probability that the sum of the two numbers facing up is at least 11?	at is
		(3 pts) 3
4.	How many gallons of paint would be needed to paint the sides of an uncovered to that is 100 feet long, 25 feet wide and 15 feet high if one gallon of paint will co 200 square feet?	over
		(3 pts) 4
5.	A factory makes pizza boxes using 8 cutting machines. Each machine cuts 12 be every $\frac{3}{4}$ minute. How many boxes can all 8 machines cut in one minute?	oxes
	-	(3 pts) 5
6.	Find the $x$ -intercept(s) for	

 $f(x) = (x-3)^2 - 9$ 

7. Simplify the expression

 $-(-3)^2 + 2^3 + 2^{-3} + (-365)^0$ 

(3 pts) 7. \_\_\_\_\_

(3 pts) 6. \_\_\_\_\_

TOTAL POINTS \_\_\_\_\_

UND MATHEMATICS TRACK MEET INDIVIDUAL TEST #4 University of North Dakota Grades 7/8 December 19, 2023 School \_\_\_\_\_ Team Name \_\_\_\_\_ Calculators are **NOT** allowed. Key Student Name \_\_\_\_\_ 1. Evaluate  $1+3|-4^2-(-8)|+2|3+(-5)^2|$ (2 pts) 1. 81 2. A math club at Oxford High School consists of only ninth-grade and tenth-grade students. If  $\frac{3}{10}$  of the students in the math club are from ninth grade and there are 60 more tenth-grade students than ninth-grade students, how many tenth-grade students are there in the math club? (3 pts) 2. <u>105</u> 3. Two standard six-sided dice are thrown, and the dice are considered fair. What is the probability that the sum of the two numbers facing up is at least 11? (3 pts) 3.  $\frac{1}{12}$ 4. How many gallons of paint would be needed to paint the sides of an uncovered tank that is 100 feet long, 25 feet wide and 15 feet high if one gallon of paint will cover 200 square feet? (3 pts) 4. 18.75 gallons 5. A factory makes pizza boxes using 8 cutting machines. Each machine cuts 12 boxes every  $\frac{3}{4}$  minute. How many boxes can all 8 machines cut in one minute?

6. Find the x-intercept(s) for

$$f(x) = (x-3)^2 - 9$$

7. Simplify the expression

$$-(-3)^2 + 2^3 + 2^{-3} + (-365)^0$$

(3 pts) 7.  $\frac{1}{8}$ 

(3 pts) 5. 128 boxes

(3 pts) 6. <u>0 and 6</u>

School \_\_\_\_\_

Calculators are allowed.

1. A square is inscribed in a circle of radius 5. A smaller circle is inscribed in the square. Find the area of the smaller circle.



		(20 pts) 1
2.	The area of a triangle is 10. If the height of the triangle is twice the base, what is the base?	
		(20 pts) 2
3.	Find positive numbers a and b with $a^2b = 2023$ and $ab^2 = 325$ .	
		(20 pts) 3
4.	In a class your grade is determined by the average of five exam scores. If the average of your first three exams is $75\%$ , what must the average of your last two exams be to get an $83\%$ in the class?	
		(20 pts) 4
5.	A bacterial culture doubles every 20 minutes. There are 1500 bacteria at noon. How many bacteria will there be at 4 pm later that same day?	
		(20 pts) 5
6.	What is the greatest common divisor of 360 and 525?	
		(20 pts) 6
7.	Find the positive solution to $2^{x^2-x} = 2 \cdot 8^x$ .	
		(20 pts) 7
8.	Suppose the price of an item is increased by 15% and then later the new price is decreased by 10%. Compared to the original price, what percentage increase does the final price represent?	
		(20 pts) 8
9.	Solve the system of equations	
	$\begin{cases} 3x + 2y &= 2024 \\ 7x + 5y &= 2023 \end{cases}$	
		(20 pts) 9
10.	Suppose a and b are positive real numbers such that $a^2 + b^2 = 53$ and $ab = 2$ . What is $ a - b $ ?	
		(20 pts) 10
		TOTAL POINTS

TEAM TEST #1 Grades 7/8

Team Name \_\_\_\_\_

		(20 pts) 1. $25\pi/2 \approx 39.27$
2.	The area of a triangle is 10. If the height of the triangle is twice the base, what is the base?	
		(20 pts) 2. $\sqrt{10} \approx 3.16$
3.	Find positive numbers a and b with $a^2b = 2023$ and $ab^2 = 325$ .	
		(20 pts) 3. $\underline{b \approx 3.74, a} \approx 23.26$
4.	In a class your grade is determined by the average of five exam scores. If the average of your first three exams is 75%, what must the average of your last two exams be to get an 83% in the class?	
		(20  pts) 495%
5.	A bacterial culture doubles every 20 minutes. There are 1500 bacteria at noon. How many bacteria will there be at 4 pm later that same day?	
		$(20 \text{ pts}) 5. \underline{6144000}$
6.	What is the greatest common divisor of 360 and 525?	
		$(20 \text{ pts}) 6. \_15$
7.	Find the positive solution to $2^{x^2-x} = 2 \cdot 8^x$ .	
		(20 pts) 7. $\underline{2+\sqrt{5}\approx 4.24}$
8.	Suppose the price of an item is increased by 15% and then later the new price is decreased by 10%. Compared to the original price, what percentage increase does the final price represent?	
		(20 pts) 8. $3.5\%$
9.	Solve the system of equations	
	$\begin{cases} 3x + 2y &= 2024 \\ 7x + 5y &= 2023 \end{cases}$	
		(20 pts) 9. $x = 6074, y = -8099$
		· · · · · · · · · · · · · · · · · · ·

1. A square is inscribed in a circle of radius 5. A smaller circle is inscribed in the square. Find the area of the smaller circle.

University of North Dakota School \_\_\_\_\_

UND MATHEMATICS TRACK MEET

- Calculators are allowed.
- December 19, 2023

Key

Team Name \_\_\_\_\_

TEAM TEST #1Grades 7/8

10. Suppose a and b are positive real numbers such that  $a^2 + b^2 = 53$  and ab = 2. What is |a - b|?

(20 pts) 10. <u>7</u>



### December 2023 Math Track Meet 7-8 Team Test 1 (with calculator) -AJB

1. A square is inscribed in a circle of radius 5. A smaller circle is inscribed in the square. Find the area of the smaller circle.



[Sketch of solution: The smaller circle has radius  $5\sqrt{2}/2$  by the Pythagorean theorem (or knowledge of 45-45-90 triangles). So the area of the smaller circle is  $25\pi/2 \approx 39.27$ .]

2. The area of a triangle is 10. If the height of the triangle is twice the base, what is the base?

[Sketch: We have  $A = \frac{1}{2}bh$  and h = 2b. So solve  $10 = \frac{1}{2}b2b$  to find  $b = \sqrt{10} \approx 3.16$ .]

3. Find positive numbers a and b with  $a^2b = 2023$  and  $ab^2 = 325$ .

[Sketch: Since a/b = 2023/325, we have  $(2023/325)b^3 = 325$  and so  $b \approx 3.74$ ,  $a \approx 23.26$ .]

4. In a class your grade is determined by the average of five exam scores. If the average of your first three exams is 75%, what must the average of your last two exams be to get an 83% in the class?

[Sketch: If a, b, c are the first three exam scores and d and e are the last two, we have (a + b + c)/3 = 75 and (a + b + c + d + e)/5 = 83. Solve to get d + e = 190, and so (d + e)/2 = 95.]

5. A bacterial culture doubles every 20 minutes. There are 1500 bacteria at noon. How many bacteria will there be at 4 pm later that same day?

[Sketch: The population doubles 12 times between noon and 4 pm so the number of bacteria at 4 pm is  $1500 * 2^{12} = 6144000$ .]

- 6. What is the greatest common divisor of 360 and 525? [Sketch: We have  $360 = 2^3 \cdot 3^2 \cdot 5$  and  $525 = 3 \cdot 5^2 \cdot 7$  so the GCD is  $3 \cdot 5 = 15$ .]
- 7. Find the positive solution to  $2^{x^2-x} = 2 \cdot 8^x$ . [Sketch: We have  $2^{x^2-x} = 2^{1+3x}$ , and so  $x^2 - x = 1 + 3x$ . The solutions are  $2 \pm \sqrt{5}$ . The positive solution is  $2 + \sqrt{5} \approx 4.24$ .]

8. Suppose the price of an item is increased by 15% and then later the new price is decreased by 10%. Compared to the original price, what percentage increase does the final price represent?

[Sketch: If P is the original price, the final price is (.9)(1.15)P = (1.035)P. So the price has increased by 3.5%.]

9. Solve the system of equations

$$\begin{cases} 3x + 2y &= 2024 \\ 7x + 5y &= 2023 \end{cases}$$

[Sketch: Use Gaussian elimination or substitution to find x = 6074, y = -8099.]

10. Suppose a and b are positive real numbers such that  $a^2 + b^2 = 53$  and ab = 2. What is |a - b|?

[Sketch: Since  $(a - b)^2 = a^2 + b^2 - 2ab = 49$  we have |a - b| = 7.]

	UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023		TEAM TEST #2 Grades 7/8
	School	Tea	m Name
	Calculators are <b>NOT</b> allowed.		
1.	The average weight of five turkeys on a scale removed from the scale, what is the average w	is 13 pounds. If a 7-pound turkey is veight of the four remaining turkeys?	
2.	You used $\frac{1}{2}$ can of paint to paint $\frac{3}{5}$ of a wall. to paint the whole wall?	How many cans of paint are needed	(20 pts) 1
			(20 pts) 2
3.	What is the area of a triangle with sides twice an area of 50 square inches?	e as long as those of a triangle with	
			(20 pts) 3
4.	If $S_{66}$ represents the sum of all the factors of t sum of all of the factors of the number 70, the	the number 66 and $S_{70}$ represents the en find the value of $S_{70} - S_{66}$ .	
			(20 pts) 4
5.	The prize money at a raffle was given out as f	follows:	
	20 people received \$51 people10 people received \$101 people5 people received \$201 people2 people received \$50	erson received \$100 erson received \$500 erson received \$1000	
	What is the difference between the mean cash	prize and median cash prize?	
			(20 pts) 5
6.	The surface area of a cube is 150 $\text{cm}^2$ . What	is the volume of the cube?	
7.	If you use the eight digits $1, 2, 3, 4, 5, 6, 7$ , and $4$ two-digit prime numbers, what will be the	l, 9 each once and only once to form	(20 pts) 6
	created?	sum of the four prime numbers you	
	A) 190 B) 253 C) 172	D) 235 E) None of these	
			(20 pts) 7
8.	If the ratio of the number of widgets X has to t their total number of widgets is 1908, how man	the number Z has is two to seven, and ny more widgets does Z have than X?	
	A) 1050 B) 1060 C) 1484	D) 1030 E) None of these	

(20 pts) 8. \_\_\_\_\_

9. A rectangular solid (shoebox) has dimensions 4 high, 6 wide, and 7 deep. How long is the diagonal through the interior of the solid?

A)  $\sqrt{98}$  B)  $\sqrt{102}$  C)  $\sqrt{85}$  D)  $\sqrt{101}$  E) None of these

(20 pts) 9. \_\_\_\_\_

10. Two cars leave at the same time from the same starting point traveling "down and back." Car A goes 60 mph for 2 hours then returns on the same road going 40 mph. At what constant speed, in mph, would car B need to travel to finish the course at the same time as car A?

(20 pts) 10. \_\_\_\_\_

TOTAL POINTS \_\_\_\_\_

	UND MATHEMATICS University of North Dak December 19, 2023	TRACK MEET kota				ſ	ΓEA	M TEST #2 Grades 7/8
	School	-	Key			Team Name		
	Calculators are <b>NOT</b> al	llowed.						
1.	The average weight of fi removed from the scale,	ive turkeys on a so , what is the average	cale is 13 pou ge weight of	unds. If a 7-po the four remain	und turkey ning turkey	v is vs?		
						(20  pts)	3) 1.	$\underline{14.5 \text{ pounds}}$
2.	You used $\frac{1}{2}$ can of paint to paint the whole wall?	t to paint $\frac{3}{5}$ of a w?	vall. How ma	ny cans of pai	nt are need	led		
						(20  pts)	3) 2.	$\frac{5}{6}$
3.	What is the area of a tr an area of 50 square inc	riangle with sides thes?	twice as long	g as those of a	triangle wi	ith		
						(20  pts)	s) 3.	<u>200 in<sup>2</sup></u>
4.	If $S_{66}$ represents the sum sum of all of the factors	m of all the factors s of the number 70.	of the numb, then find th	er 66 and $S_{70}$ : the value of $S_{70}$	represents t $-S_{66}$ .	the		
						(20  pts)	s) 4.	0
5.	The prize money at a ra	affle was given out	as follows:					
	20 people received \$5 10 people received \$10 5 people received \$20 2 people received \$50		1 person rec 1 person rec 1 person rec	eived \$100 eived \$500 eived \$1000				
	What is the difference b	between the mean of	cash prize an	d median cash	prize?			
						(20  pts)	s) 5.	\$42.50
6.	The surface area of a cu	the is $150 \text{ cm}^2$ . W	hat is the vol	ume of the cu	be?			
						(20  pts)	5) 6.	$125 \text{ cm}^2$
7.	If you use the eight digi 4 two-digit prime numb created?	its $1, 2, 3, 4, 5, 6, 7$ , pers, what will be	and, 9 each the sum of t	once and only he four prime	once to for numbers y	rm ⁄ou		
	A) 190 B) 25	53 C) 172	2 D)	235	E) None these	of		
						(20  pts)	3) 7.	A) 190
8.	If the ratio of the number their total number of wid	er of widgets X has idgets is 1908, how	to the numb many more v	er Z has is two vidgets does Z	to seven, a have than 1	.nd X?		
	A) 1050 B) 10	060 C) 148	34 D)	1030	E) None these	of		

9. A rectangular solid (shoebox) has dimensions 4 high, 6 wide, and 7 deep. How long is the diagonal through the interior of the solid?

A)  $\sqrt{98}$  B)  $\sqrt{102}$  C)  $\sqrt{85}$  D)  $\sqrt{101}$  E) None of these

(20 pts) 9. D)  $\sqrt{101}$ 

10. Two cars leave at the same time from the same starting point traveling "down and back." Car A goes 60 mph for 2 hours then returns on the same road going 40 mph. At what constant speed, in mph, would car B need to travel to finish the course at the same time as car A?

(20 pts) 10. 48 mph

School \_\_\_\_

Calculators are allowed.

1. Each of the numbers 1, 5, 6, 7, 13, 14, 17, 22, and 26 is placed in a different spot below. The numbers 13 and 17 are placed as shown. Joe calculates the average of the numbers in the first three spots, the average of the numbers in the middle three spots, and the average of the numbers in the last three spots. These three averages are equal. What number is placed in the spot to the right of the 17?

\_\_\_\_<u>13\_17</u>\_\_\_\_

- 2. A digital clock shows a time of 4:56. How many minutes will pass until the clock next shows a time in which all of the digits are consecutive and are in increasing order?
- 3. Suppose that p and q are two different prime numbers and that  $n = p^2 q^2$  What is the number of possible values of n with n < 1000?
- 4. On Monday, Jill traveled x miles at a constant speed of 90 mph. On Tuesday, she traveled on the same route at a constant speed of 120 mph. Her trip on Tuesday took 16 minutes less than her trip on Monday. What is the value of x?
- 5. A rectangular prism has a volume of 12. A new prism is formed by doubling the length, doubling the width, and tripling the height of the original prism. What is volume of the new prism?
- 6. In a survey, 100 students were asked if they liked dogs and if they liked cats. A total of 68 students like dogs. A total of 53 like cats. A total of 6 like neither cats nor dogs. How many of the 100 students like both cats and dogs?
- 7. On a rectangular table 5 units long and 2 units wide, a ball is rolled from point P at an angle of 45° to PQ and bounces off SR. The ball continues to bounce off the sides at 45° until it reaches S. How many bounces of the ball are required?



INDIVIDUAL TEST #1 Grades 9/10

Tean	n Name	
Student	t Name	
rent spot verage of dle three averages		
hll-	(2 pts) 1.	
ne clock		
What is	(3 pts) 2.	
sday, she	(3 pts) 3.	
Tuesday	(3 pts) 4.	
oling the What is		
cats. A ther cats	(3 pts) 5.	
point P e off the ?	(3 pts) 6.	

TOTAL POINTS \_\_\_\_

(3 pts) 7. \_\_\_\_\_

School \_\_\_\_\_

1. Each of the numbers 1, 5, 6, 7, 13, 14, 17, 22, and 26 is placed in a different spot below. The numbers 13 and 17 are placed as shown. Joe calculates the average of the numbers in the first three spots, the average of the numbers in the middle three spots, and the average of the numbers in the last three spots. These three averages are equal. What number is placed in the spot to the right of the 17?

Key

<u>\_\_\_\_\_13\_17\_\_\_\_</u>\_\_\_\_

- 2. A digital clock shows a time of 4:56. How many minutes will pass until the clock next shows a time in which all of the digits are consecutive and are in increasing order?
- 3. Suppose that p and q are two different prime numbers and that  $n = p^2 q^2$  What is the number of possible values of n with n < 1000?
- 4. On Monday, Jill traveled x miles at a constant speed of 90 mph. On Tuesday, she traveled on the same route at a constant speed of 120 mph. Her trip on Tuesday took 16 minutes less than her trip on Monday. What is the value of x?
- 5. A rectangular prism has a volume of 12. A new prism is formed by doubling the length, doubling the width, and tripling the height of the original prism. What is volume of the new prism?
- 6. In a survey, 100 students were asked if they liked dogs and if they liked cats. A total of 68 students like dogs. A total of 53 like cats. A total of 6 like neither cats nor dogs. How many of the 100 students like both cats and dogs?
- 7. On a rectangular table 5 units long and 2 units wide, a ball is rolled from point P at an angle of 45° to PQ and bounces off SR. The ball continues to bounce off the sides at 45° until it reaches S. How many bounces of the ball are required?



INDIVIDUAL TEST #1 Grades 9/10

Team	Name .		
Student	Name		
spot ge of hree ages			
lock	(2 pts)	1	_7
at is	(3 pts)	2	158
, she sday	(3 pts)	3	_7
the t is	(3 pts)	4	<u>96</u>
s. A cats	(3 pts)	5	<u>144</u>
nt P f the	(3 pts)	6	27

(3 pts) 7. <u>5</u>



UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023	INDIVIDUAL TEST #2 Grades 9/10
School	Team Name
Calculators are <b>NOT</b> allowed.	Student Name
1. What is the sum of two roots of the equation $3 + \frac{1}{x-1} = x - 1$	. ?
	(2 pts) 1
2. What is the last digit of $47^{95}$ ?	
	(3 pts) 2
3. $x - 1$ divides $2kx^2 + kx + 1$ where k is a constant. What is k?	
	(3 pts) 3
4. If $-2 \le x \le 3$ and $-4 \le y \le 5$ , then $a \le x^2 + y \le b$ . What is a	+ b?
	(3 pts) 4
5. If $(a, a)$ is the point on the line $y = x$ closest to the point $(4, 3)$ ,	what is $a$ ?
	(3 pts) 5
6. If a sequence $\{a_n\}$ converges to $L$ and $a_{n+1} = \frac{2a_n + 3}{4}$ , what is	L?
	(3 pts) 6
7. If $  x-3 -3  \le 3$ , then $a \le x \le b$ . What is $a+b$ ?	
	(3 pts) 7
	TOTAL POINTS

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023		INDIVIDUAL TEST #2 Grades 9/10
School		Team Name
Calculators are <b>NOT</b> allowed.	Key	Student Name
1. What is the sum of two roots of the equa	tion $3 + \frac{1}{x-1} = x - 1$ ?	
2. What is the last digit of $4795$ ?		(2 pts) 1. <u>5</u>
2. What is the last digit of 47 :		(3 pts) 2. <u>3</u>
3. $x - 1$ divides $2kx^2 + kx + 1$ where k is a	constant. What is $k$ ?	
4. If $-2 \le x \le 3$ and $-4 \le y \le 5$ , then $a \le x$	$x^2 + y \le b$ . What is $a + b$ ?	(3 pts) 3. $k = -\frac{1}{3}$
		(3 pts) 4. $\underline{a+b=10}$
5. If $(a, a)$ is the point on the line $y = x$ close	sest to the point $(4,3)$ , what is $a$ ?	(2  pts) 5  a = 7
6. If a sequence $\{a_n\}$ converges to $L$ and $a_n$	$a_{+1} = \frac{2a_n + 3}{4}$ , what is <i>L</i> ?	(5 pts) 5. $u = \frac{1}{2}$
	-	(3 pts) 6. $L = \frac{3}{2}$
7. If $  x-3 -3  \le 3$ , then $a \le x \le b$ . What	t is $a + b$ ?	

(3 pts) 7. a + b = 6

Grades 9/10 Individual Test #2 w/o calculator (dh)

1. What is the sum of two roots of the equation  $3 + \frac{1}{x-1} = x - 1$ ? (sol)1. \_5\_  $(x-1)(x-4) = 1 \implies x^2 - 5x + 3 = 0$ 2. What is the last digit of  $47^{95}$ ? 2. 3 (sol) $47^{95} = (47^4)^{23} \cdot 47^3 \equiv 3 \mod 10$ 3. x - 1 divides  $2kx^2 + kx + 1$  where k is a constant. What is k? 3.  $k = -\frac{1}{3}$ (sol) $2kx^{2} + kx + 1 = (x - 1)(2kx + 3k) + 3k + 1$ 4. If  $-2 \le x \le 3$  and  $-4 \le y \le 5$ , then  $a \le x^2 + y \le b$ . What is a + b? 4. a + b = 105. If (a, a) is the point on the line y = x closest to the point (4, 3), what is a ? 5.  $a = \frac{7}{2}$ (sol) $(a-4, a-3) \cdot (1, 1) = 0 \implies 2a-7 = 0$ 6. If a sequence  $\{a_n\}$  converges to L and  $a_{n+1} = \frac{2a_n + 3}{4}$ , what is L? 6.  $L = \frac{3}{2}$ (sol) $L = \frac{2L+3}{4} \implies 4L = 2L+3$ 7. If  $||x-3|-3| \le 3$ , then  $a \le x \le b$ . What is a+b ? 7. a + b = 6(sol) $\begin{array}{c} (3-2) \\ -3 \leq |x-3| - 3 \leq 3 \implies |x-3| \leq 6 \implies -6 \leq x-3 \leq 6 \implies -3 \leq x \leq 9 \end{array}$ 

School \_\_\_\_\_

Calculators are allowed.

- 1. The y-intercept of the line through (2, a) and (a, -7) with slope  $\frac{1}{2}$  is:
- 2. If  $x^3 x^2 + kx + 3$  is divisible by x + 1, then it is also divisible by (a) 2x - 1 (b) 2x + 2 (c)  $x^2 - 2x + 3$  (d)  $x^2 + 2x + 1$  (e)  $x^2 - 2x + 3$
- 3. An urn is filled with coins and beads, all of which are either silver or gold. Twenty percent of the objects in the urn are beads. Forty percent of the coins in the urn are silver. What percent of the objects in the urn are gold coins?
- 4. The circumference of a circle is 100 inches. The side of a square inscribed in this circle, expressed in inches, is:
  - (a)  $100\sqrt{2}/\pi$  (b)  $50\sqrt{2}$  (c)  $100/\pi$  (d)  $50\sqrt{2}/\pi$  (e)  $25\sqrt{2}/\pi$
- 5. The number of geese in a flock increases so that the difference between the populations in year n + 2 and year n is directly proportional to the population in year n + 1. If the populations in the years 2014, 2015, and 2017 were 6, 45, and 117, respectively, then what was the population in 2016?
- 6. A high school science club plans to rent a minivan for a weekend trip to visit a science museum at a cost of \$120. If they invite two nonmembers along, each member can save \$10 on his or her share of the cost. How many members are in the science club?
- 7. The graphs of y = -|x a| + b and y = |x c| + d intersect at points (2,5) and (8,3). Find a + c.

Team	Name			
Student	Name			
	(2  pts)	) 1.		
1				
+1	(3  pts)	) 2.		
enty				
urn				
	(3  pts)	) 3.		
this				
	(3  pts)	) 4.		
year				
117,				
	(3  pts)	) 5.		
it a each				
e in				
	(3  pts)	) 6.		
and				
	(3  pts)	) 7.		
ТОТ	AL P	DIN	TS	

School \_\_\_\_\_

Calculators are allowed.

- 1. The y-intercept of the line through (2, a) and (a, -7) with slope  $\frac{1}{2}$  is:
- 2. If  $x^3 x^2 + kx + 3$  is divisible by x + 1, then it is also divisible by (a) 2x - 1 (b) 2x + 2 (c)  $x^2 - 2x + 3$  (d)  $x^2 + 2x + 1$  (e)  $x^2 - 2x + 1$
- 3. An urn is filled with coins and beads, all of which are either silver or gold. Twenty percent of the objects in the urn are beads. Forty percent of the coins in the urn are silver. What percent of the objects in the urn are gold coins?
- 4. The circumference of a circle is 100 inches. The side of a square inscribed in this circle, expressed in inches, is:
  - (a)  $100\sqrt{2}/\pi$  (b)  $50\sqrt{2}$  (c)  $100/\pi$  (d)  $50\sqrt{2}/\pi$  (e)  $25\sqrt{2}/\pi$
- 5. The number of geese in a flock increases so that the difference between the populations in year n + 2 and year n is directly proportional to the population in year n + 1. If the populations in the years 2014, 2015, and 2017 were 6, 45, and 117, respectively, then what was the population in 2016?
- 6. A high school science club plans to rent a minivan for a weekend trip to visit a science museum at a cost of \$120. If they invite two nonmembers along, each member can save \$10 on his or her share of the cost. How many members are in the science club?
- 7. The graphs of y = -|x a| + b and y = |x c| + d intersect at points (2,5) and (8,3). Find a + c.

### INDIVIDUAL TEST #3 Grades 9/10

Team Name \_\_\_\_\_ Student Name \_\_\_\_\_ (2 pts) 1. -5(3 pts) 2. (c) (3 pts) 3. <u>48</u> (3 pts) 4. (d) (3 pts) 5. <u>60</u> (3 pts) 6. \_\_\_\_\_ (3 pts) 7. 10

Key

D

 $\mathbf{C}$ 

В

INDIVIDUAL TEST #4 Grades 9/10

	School	Team	Name
	Calculators are <b>NOT</b> allowed.	Student	Name
1.	Your car is currently 3 years old and is worth \$10,000. Two years ago it was wo \$12,400. Assume the car's value depreciates linearly with time. What will be value of the car in 5 years?	rth	
			(2 pts) 1
2.	Amtrak's annual passenger revenue for the years 1990-2010 is given by the equat $R = -40 x - 11  + 990$ where R is the annual revenue in millions of dollars a x is the number of years since January 1, 1990. In what years was the passen revenue \$790 million?	ion .nd ger	
			(3 pts) 2
3.	Real numbers a and b satisfy the equations $3^a = 81^{b+2}$ and $125^b = 5^{a-3}$ . What $ab$ ?	is is	
			(3 pts) 3
4.	Students from Mrs. Pohl's class are standing in a circle. They are evenly space and consecutively numbered starting with 1. The student with number 3 is stand directly across form the student with number 17. How many students are there Mrs. Pohl's class?	ed ing in	
			(3 pts) 4
5.	Alice and Bill are walking in opposite directions along the same route between and $B$ . Alice is going from $A$ to $B$ , and Bill from $B$ to $A$ . They start at the sa time. They pass each other 3 hours later. Alice arrives at $B$ 2.5 hours before I arrives at $A$ . How many hours does it take for Bill to go from $B$ to $A$ ?	A me Bill	
			(3 pts) 5
6.	You have two boxes. Each of them has a square base and is half as tall as it is will feature that the smaller box, and has a volume $2 \text{ in}^3$ greater, what is the width of the smaller box?	de. 244	
			(3 pts) 6
7.	In the triangle $\triangle ABC$ , the point <i>D</i> lies on side $\overline{BC}$ . Also, $AC = 3$ , $AD = BD = 8$ , and $CD = 1$ . What is AB?	3,	
	A		

(3 pts) 7. \_\_\_\_\_

TOTAL POINTS \_\_\_\_\_

a 1 1		
School		

Calculators are **NOT** allowed.

Ke

- Key
- 1. Your car is currently 3 years old and is worth \$10,000. Two years ago it was worth \$12,400. Assume the car's value depreciates linearly with time. What will be the value of the car in 5 years?
- 2. Amtrak's annual passenger revenue for the years 1990-2010 is given by the equation R = -40|x 11| + 990 where R is the annual revenue in millions of dollars and x is the number of years since January 1, 1990. In what years was the passenger revenue \$790 million?
- 3. Real numbers a and b satisfy the equations  $3^a = 81^{b+2}$  and  $125^b = 5^{a-3}$ . What is ab?
- 4. Students from Mrs. Pohl's class are standing in a circle. They are evenly spaced and consecutively numbered starting with 1. The student with number 3 is standing directly across form the student with number 17. How many students are there in Mrs. Pohl's class?
- 5. Alice and Bill are walking in opposite directions along the same route between A and B. Alice is going from A to B, and Bill from B to A. They start at the same time. They pass each other 3 hours later. Alice arrives at B 2.5 hours before Bill arrives at A. How many hours does it take for Bill to go from B to A?
- 6. You have two boxes. Each of them has a square base and is half as tall as it is wide. If the larger box is two inches wider than the smaller box, and has a volume 244 in<sup>3</sup> greater, what is the width of the smaller box?
- 7. In the triangle  $\triangle ABC$ , the point *D* lies on side  $\overline{BC}$ . Also, AC = 3, AD = 3, BD = 8, and CD = 1. What is AB?



INDIVIDUAL TEST #4 Grades 9/10

Team	N	ame		
Student	N	ame		
worth be the				
	(2	pts)	1.	\$4000
nation is and senger				
	(3	pts)	2.	<u>1996 and 2</u> 006
hat is				
	(3	pts)	3.	60
paced nding ere in				
	(3	pts)	4.	28
een A same re Bill				
	(3	pts)	5.	<u>7.5 hours</u>
wide. ne 244				
	(3	pts)	6.	<u>8 in</u>
= 3,				

(3 pts) 7. <u>9</u>

Grades 9/10University of North Dakota December 19, 2023 School \_\_\_\_\_ Team Name \_\_\_\_\_ Calculators are allowed. 1. If  $x = 2 + \frac{1}{2} + \frac{1}{6} + \frac{1}{24} + \frac{1}{120} + \dots$ , then x is better known as a)  $\pi$ b) *e* c)  $\varphi$ d) none of the previous choices (20 pts) 1. \_\_\_\_\_ 2. Compute  $\left[2^{2^2} \cdot 2 \cdot (2^2 \cdot 2^2)^2 - {\binom{2^2 + 2^{2-2}}{2}}^2\right]/2^2$ . (20 pts) 2. \_\_\_\_\_ 3. Given a whole number construct a sequence as follows. If the number is even, divide by 2; if it's odd multiply by three and add 1. Apply the same method to the result to get the next number. Stop if/when you reach 1. How many steps are required if you start with 112? (20 pts) 3. \_\_\_\_\_ 4. In the decimal expansion of 1/14 what is the value of the 30th digit to the right of the decimal point? (20 pts) 4. \_\_\_\_\_ 5. Find a positive integer m so that  $1 + 2 + 3 + \dots + 90 = 100 + 101 + \dots + m.$ (20 pts) 5. \_\_\_\_\_ 6. If  $f_0 = 0, f_1 = 1$  and for  $n \ge 2, f_n = f_{n-1} + f_{n-2}$  find  $f_4 + f_9 + f_{16}$ . (20 pts) 6. \_\_\_\_\_ 7. Find a ten digit number which contains every digit  $0, 1, \dots, 9$  exactly once, starts with a 3 and is divisible by every whole number between 2 and 18. (20 pts) 7. \_\_\_\_\_ 8. Starting with  $x_0 = 1$ , for  $n \ge 1$  let  $x_n$  be the least non-negative remainder when  $2 \cdot x_{n-1}$  is divided by n+6. Find the smallest value of n for which  $x_n = 0$ . (20 pts) 8. 9. Factor 11687 into primes. (20 pts) 9.

TEAM TEST #1

UND MATHEMATICS TRACK MEET

10. If  $y = \cos\left(\frac{7\pi}{12}\right)$ , then the value of y is a)  $\frac{\sqrt{2} - \sqrt{6}}{4}$  b)  $\frac{-\sqrt{2} - \sqrt{3}}{2}$ 

d) all of the previous choices

c) approximately -0.258819

(20 pts) 10.

TOTAL POINTS \_\_\_\_\_

UND MATHEMATICS TRACK MEET TEAM TEST #1 Grades 9/10University of North Dakota December 19, 2023 School \_\_\_\_\_ Key Team Name \_\_\_\_ Calculators are allowed. 1. If  $x = 2 + \frac{1}{2} + \frac{1}{6} + \frac{1}{24} + \frac{1}{120} + \dots$ , then x is better known as a)  $\pi$ b) *e* c)  $\varphi$ d) none of the previous choices (20 pts) 1. <u>b.</u> 2. Compute  $\left[2^{2^2} \cdot 2 \cdot (2^2 \cdot 2^2)^2 - {\binom{2^2 + 2^{2-2}}{2}}^2\right]/2^2$ . (20 pts) 2. <u>2023</u> 3. Given a whole number construct a sequence as follows. If the number is even, divide by 2; if it's odd multiply by three and add 1. Apply the same method to the result to get the next number. Stop if/when you reach 1. How many steps are required if you start with 112? (20 pts) 3. <u>20</u> 4. In the decimal expansion of 1/14 what is the value of the 30th digit to the right of the decimal point? (20 pts) 4. <u>8</u> 5. Find a positive integer m so that  $1 + 2 + 3 + \dots + 90 = 100 + 101 + \dots + m.$ (20 pts) 5. <u>134</u> 6. If  $f_0 = 0, f_1 = 1$  and for  $n \ge 2, f_n = f_{n-1} + f_{n-2}$  find  $f_4 + f_9 + f_{16}$ . (20 pts) 6. 1024 7. Find a ten digit number which contains every digit  $0, 1, \dots, 9$  exactly once, starts with a 3 and is divisible by every whole number between 2 and 18. (20 pts) 7. 3, 785, 942, 160 8. Starting with  $x_0 = 1$ , for  $n \ge 1$  let  $x_n$  be the least non-negative remainder when  $2 \cdot x_{n-1}$  is divided by n+6. Find the smallest value of n for which  $x_n = 0$ . (20 pts) 8. <u>18</u> 9. Factor 11687 into primes.  $(20 \text{ pts}) 9. 13 \cdot 29 \cdot 31$ 

10. If  $y = \cos\left(\frac{7\pi}{12}\right)$ , then the value of y is a)  $\frac{\sqrt{2} - \sqrt{6}}{4}$  b)  $\frac{-\sqrt{2} - \sqrt{3}}{2}$ 

d) all of the previous choices

c) approximately -0.258819

(20 pts) 10. <u>d.</u>

### Solutions

1. If  $x = 2 + \frac{1}{2} + \frac{1}{6} + \frac{1}{24} + \frac{1}{120} + \dots$ , then x is better known as

a)  $\pi$  b) e c)  $\varphi$  d) none of the previous choices The answer is b.

2. Compute 
$$\left[2^{2^2} \cdot 2 \cdot (2^2 \cdot 2^2)^2 - {\binom{2^2 + 2^{2-2}}{2}}^2\right]/2^2$$

The answer is 2023 by straightforward calculation.

3. Given a whole number construct a sequence as follows. If the number is even, divide by 2; if it's odd multiply by three and add 1. Apply the same method to the result to get the next number. Stop if/when you reach 1. How many steps are required if you start with 112?

4. In the decimal expansion of 1/14 what is the value of the 30th digit to the right of the decimal point?

The expansion starts 0.0714285714285.... Since the 6th digit is 8 and the cycle length is 6, the answer is 8.

5. Find a positive integer *m* so that  $1 + 2 + 3 + \dots + 90 = 100 + 101 + \dots + m$ .

The answer is m = 134 which can be seen by using Gauss' formula for 1+2+3+...+n three times after adding 1+2+...+99 to both sides.

- 6. If  $f_0 = 0$ ,  $f_1 = 1$  and for  $n \ge 2$ ,  $f_n = f_{n-1} + f_{n-2}$  find  $f_4 + f_9 + f_{16}$ . Using the recursive formula one computes  $f_4 + f_9 + f_{16} = 3 + 34 + 987 = 1024$
- 7. Find a ten digit number which contains every digit 0,1,..., 9 exactly once, starts with a 3 and is divisible by every whole number between 2 and 18.

If y represents our number, y is divisible by  $2^2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11 \cdot 13 \cdot 17 = 12,252,240$ . So y = 12,252,240x, where  $245 \le x \le 326$  since  $3,000,000,000 \le y \le 4,000,000,000$ . Trial and error leads to x = 309 and y = 3,785,942,160.

8. Starting with  $x_0 = 1$ , for  $n \ge 1$  let  $x_n$  be the least non-negative remainder when  $2 \cdot x_{n-1}$  is divided by n + 6. Find the smallest value of n for which  $x_n = 0$ .

One finds the sequence to be 1, 2, 4, 8, 6, 1, 2, 4, 8, 1, 2, 4, 8, 16, 12, 3, 6, 12, 0 so n = 18.

9. Factor 11687 into primes.

The answer is  $11687 = 13 \cdot 29 \cdot 31$ .
10. If 
$$y = \cos\left(\frac{7\pi}{12}\right)$$
, then y is

a) 
$$\frac{\sqrt{2} - \sqrt{6}}{4}$$
 b)  $\frac{-\sqrt{2} - \sqrt{3}}{2}$ 

c) approximately -0.258819 d) all of the

previous choices

The answer is d)

	School	Team Name
	Calculators are <b>NOT</b> allowed.	
1.	A cube with edge length 8 feet was molded into a sphere. Find the diameter of th sphere.	e
		(20 pts) 1
2.	Find the value of k if the graph of a linear function $y = f(x)$ has slope $m = 3$ and passes through the points (4, 7) and (k, 1).	d
		(20 pts) 2
3.	The sum of the squares of two consecutive positive odd integers is 74. What is the value of the larger integer?	e
		(20 pts) 3
4.	Find the length of the arc of a circle of radius 10 inches subtended by a centra angle of $50^{\circ}$ .	ป
		(20 pts) 4
5.	Suppose the rational function $f(x)$ is given by $f(x) = \frac{5x+7}{2x+4}$ . Find $f^{-1}(x)$ .	
		(20 pts) 5
6.	The London Eye is a huge Ferris wheel with a diameter of 135 meters (443 feet). I completes one rotation every 30 minutes. Riders board from a platform 2 meter above the ground. Express a rider's height above ground as a function of time i minutes after boarding.	it rs n
		(20 pts) 6
7.	If the cost of a bat and a baseball combined is \$1.10 and the ball costs \$1.00 less than the bat, how much is the ball?	s
		(20 pts) 7
8.	Let $\ell_1$ be the line segment whose endpoints lie at the top left and bottom right corner of a square and let $\ell_2$ be the line segment whose endpoints are the bottom left corner of the square and the center of the top side of the square. What fraction of the area of the square is not occupied by the triangle formed from the point at the intersection of $\ell_1$ and $\ell_2$ and the bottom two corners of the square?	it n n t
		(20 pts) 8
9.	The square root of the value obtained by adding twelve to some positive number it the same as the number itself. What is it?	s
		(20 pts) 9
10.	Suppose a town has a population of 1,000 in the year 1999, and suppose the population of the town grows at a constant rate of 125 per year. Find the equatio of the line that models the town's population $P$ as a function of $t$ , where $t$ is the number of years since the model began.	n e
		(20 pts) 10
		TOTAL POINTS

School

 $\begin{array}{c} {\rm TEAM \ TEST \ \# \ 2} \\ {\rm Grades \ 9/10} \end{array}$ 

Team	Name _		
_			
the			
ind	(20 pts)	1.	
the	(20 pts)	2.	
1	(20 pts)	3.	
rai	(20 pts)	4.	
	(20 pts)	5.	
It ers in			
ess	(20 pts)	6.	
1.	(20 pts)	7.	
gnt om ion at			
r is	(20 pts)	8.	
	(20 pts)	9.	
op- ion the			

TEAM TEST # 2Grades 9/10

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_\_

Calculators are  ${\bf NOT}$  allowed.

- 1. A cube with edge length 8 feet was molded into a sphere. Find the diameter of the sphere.
- 2. Find the value of k if the graph of a linear function y = f(x) has slope m = 3 and passes through the points (4, 7) and (k, 1).
- 3. The sum of the squares of two consecutive positive odd integers is 74. What is the value of the larger integer?
- 4. Find the length of the arc of a circle of radius 10 inches subtended by a central angle of  $50^\circ.$
- 5. Suppose the rational function f(x) is given by  $f(x) = \frac{5x+7}{2x+4}$ . Find  $f^{-1}(x)$ .
- 6. The London Eye is a huge Ferris wheel with a diameter of 135 meters (443 feet). It completes one rotation every 30 minutes. Riders board from a platform 2 meters above the ground. Express a rider's height above ground as a function of time in minutes after boarding.
- 7. If the cost of a bat and a baseball combined is \$1.10 and the ball costs \$1.00 less than the bat, how much is the ball?
- 8. Let  $\ell_1$  be the line segment whose endpoints lie at the top left and bottom right corner of a square and let  $\ell_2$  be the line segment whose endpoints are the bottom left corner of the square and the center of the top side of the square. What fraction of the area of the square is not occupied by the triangle formed from the point at the intersection of  $\ell_1$  and  $\ell_2$  and the bottom two corners of the square?
- 9. The square root of the value obtained by adding twelve to some positive number is the same as the number itself. What is it?

## Key

(20 pts) 1.  $8\sqrt[3]{\frac{6}{\pi}}$ 

Team Name \_\_\_\_

(20 pts) 2. k = 2

(20 pts) 4.  $\frac{25\pi}{9}$  inches

(20 pts) 5. 
$$f^{-1}(x) = \frac{7-4x}{2x-5}$$

(20 pts) 6.  $h(t) = -67.5 \cos\left(\frac{\pi t}{15}\right) + 69.5$ or  $h(t) = -67.5 \sin\left(\frac{\pi}{2} - \frac{\pi}{15}t\right) + 69.5$ or  $h(t) = 67.5 \sin\left(\frac{\pi}{15}t - \frac{\pi}{2}\right) + 69.5$ 

(20 pts) 7. \$0.05



(20 pts) 9. <u>4</u>

10. Suppose a town has a population of 1,000 in the year 1999, and suppose the population of the town grows at a constant rate of 125 per year. Find the equation of the line that models the town's population P as a function of t, where t is the number of years since the model began.

(20 pts) 10. P = 125t+1,000

## Answer Key

1. A cube with edge length 8 feet was molded into a sphere. Find the diameter of the sphere.

The volume of a cube with sides of length 8 is 8<sup>3</sup>. The volume of a sphere with radius r is  $\frac{4}{3}\pi r^3$ , so  $8^3 = \frac{4}{3}\pi r^3$ , which is to say that  $r^3 = \frac{(3)(8^3)}{4\pi}$  and  $r = \sqrt[3]{\frac{384}{\pi}}$ . Since the diameter D of a sphere is related to the radius by D = 2r, we have  $D = 2\sqrt[3]{\frac{384}{\pi}} = 8\sqrt[3]{\frac{6}{\pi}}$ 

2. Find the value of k if the graph of a linear function y = f(x) has slope m = 3 and passes through the points (4,7) and (k,1).

Using the point-slope form  $y - y_1 = m(x - x_1)$  of a line with slope *m* passing through a point  $(x_1, y_1)$ , we can see that our line is given by the function

$$f(x) = 3(x-4) + 7.$$

So, since a point (a, b) is on the graph of y = f(x) if and only if f(a) = b, we may determine the value of k by setting f(k) = 1 and solving for k. That is, we obtain our final answer by carrying out the following computation:

\$

$$3(k-4) + 7 = 1$$
  
 $3(k-4) = -6$   
 $k-4 = -2$   
 $k = 2.$ 

3. The sum of the squares of two consecutive positive odd integers is 74. What is the value of the larger integer?

Every odd integer is of the form 2k + 1 for some integer  $k \ge 0$ . So, the sum of the squares of any two consecutive odd integers is of the form  $(2k + 1)^2 + (2k + 3)^2 = 8k^2 + 16k + 10$ . If the value of this sum is to be 74, then we need only solve  $8k^2 + 16k + 10 = 74$ , which amounts to finding the roots of the quadratic  $8k^2 + 16k - 64 = 0$ , or (factoring out an 8)  $k^2 + 2k - 8 = 0$ . Via the quadratic formula, this produces k = -4 or k = 2. Since we are looking for a positive odd integer, we may conclude that k = 2. Thus, the smaller integer is 2(2) + 1 = 5 and the larger is 2(2) + 3 = 7.

4. Find the length of the arc of a circle of radius 10 inches subtended by a central angle of  $50^\circ.$ 

In a circle of radius r, the length, s, of an arc subtended by an angle with measure  $\theta$  in radians is  $s = r\theta$ . So, we first convert 50° to radians:

$$(50^\circ)\left(\frac{\pi \text{ radians}}{180^\circ}\right) = \frac{5\pi}{18}$$
 radians.

Using this, we reach our answer with the following computation:

$$s = (10 \text{ inches}) \left(\frac{5\pi}{18}\right) = \left(\frac{25}{9}\right) \pi \text{ inches}$$

5. Suppose the rational function f(x) is given by  $f(x) = \frac{5x+7}{2x+4}$ . Find  $f^{-1}(x)$ . Writing y = f(x), we have  $y = \frac{5x+7}{2x+4}$ . To find  $f^{-1}(x)$ , we interchange x and y and solve for y:

$$x = \frac{5y+7}{2y+4}$$
$$x(2y+4) = 5y+7$$
$$2xy+4x = 5y+7$$
$$2xy-5y = 7-4x$$
$$(2x-5)y = 7-4x$$
$$y = \frac{7-4x}{2x-5}$$

So, replacing y with  $f^{-1}(x)$ , we have found our inverse function:  $f^{-1}(x) = \frac{7-4x}{2x-5}$ .

6. The London Eye is a huge Ferris wheel with a diameter of 135 meters (443 feet). It completes one rotation every 30 minutes. Riders board from a platform 2 meters above the ground. Express a rider's height above ground as a function of time in minutes after boarding.

With a diameter of 135 meters, the wheel has a radius of 67.5 meters. The height will oscillate with amplitude 67.5 meters above and below the center. That is, A = 67.5.

Passengers board 2 meters above ground level, so the center of the wheel must be located 67.5 + 2 = 69.5 meters above ground level. Thus, we can conclude that the midline of the oscillation will be at 69.5 meters. That is, D = 69.5.

The wheel takes 30 minutes to complete 1 revolution, so the height will oscillate with a period of 30 minutes. Since  $P = \frac{2\pi}{B}$ , this yields that  $30 = \frac{2\pi}{B}$ . Solving, this tells us that  $B = \frac{2\pi}{30} = \frac{\pi}{15}$ .

Lastly, because the rider boards at the lowest point, the height will start at the smallest value and increase.

So, the riders height h (in meters) as function of t (in minutes) is given by any one of the following equivalent answers:

$$h(t) = -67.5 \cos\left(\frac{\pi}{15}t\right) + 69.5$$
$$= -67.5 \sin\left(\frac{\pi}{2} - \frac{\pi}{15}t\right) + 69.5$$
$$= 67.5 \sin\left(\frac{\pi}{15}t - \frac{\pi}{2}\right) + 69.5$$

7. If the cost of a bat and a baseball combined is \$1.10 and the ball costs \$1.00 less than the bat, how much is the ball? Let x denote the cost of the bat and y denote the cost of the ball. We know that x + y = \$1.10 and x = y + \$1.00. Combining the second equation with the first, we produce

$$x + y = \$1.10$$
  
(y + \\$1.00) + y = \\$1.10  
2y + \\$1.00 = \\$1.10  
2y = \\$0.10  
y = \\$0.05.

Therefore, the ball costs \$0.05.

8. Let  $\ell_1$  be the line segment whose endpoints lie at the top left and bottom right corner of a square and let  $\ell_2$  be the line segment whose endpoints are the bottom left corner of the square and the center of the top side of the square. What fraction of the area of the square is not occupied by the triangle formed from the point at the intersection of  $\ell_1$  and  $\ell_2$  and the bottom two corners of the square?

Consider a square of side length 1 for simplicity, so that the area of the triangle is the same as the proportion of the square's area that it occupies. The triangle formed is shaded in blue below:



Notice that the height of the triangle and the triangle formed above it sum to 1, and that these two triangles are similar. Let h be the height of the larger triangle, so that 1 - h is the height of the smaller. As the ratio of the height to the base of similar triangles is the same, we then have

$$\frac{h}{1} = \frac{1-h}{1/2}$$
$$h = 2-2h$$
$$h = \frac{2}{3}.$$

So, the area of the triangle is  $\frac{1}{2}(1)(h) = \frac{1}{3}$ , which is also the proportion of the area of any square a triangle formed in such a fashion will occupy. Hence, the proportion of the square not occupied by the triangle is  $\frac{2}{3}$ .

9. The square root of the value obtained by adding twelve to some positive number is the same as the number itself. What is it?

Let x denote our sought value. Then,  $\sqrt{x+12} = x$ , and we have

$$\sqrt{x + 12} = x$$

$$x + 12 = x^{2}$$

$$x^{2} - x - 12 = 0$$

$$x = \frac{-(-1) \pm \sqrt{(-1)^{2} - 4(1)(-12)}}{2(1)}$$

$$x = \frac{1 \pm \sqrt{1 + 48}}{2}$$

$$x = \frac{1 \pm 7}{2}$$

$$x = 4 \text{ or } -3$$

As the number is specified to be positive, we may conclude that it is 4.

10. Suppose a town has a population of 1,000 in the year 1999, and suppose the population of the town grows at a constant rate of 125 per year. Find the equation of the line that models the town's population P as a function of t, where t is the number of years since the model began.

Since we are modeling the population of the town with a linear model, the linear function we will produce will be of the form P = mt + b for some real numbers m and b.

Since our model is linear, the rate of change of the population will be the slope of the line used in our model. That is, since the population of the town grows at a constant rate of 125 per year, m = 125.

Since the variable t corresponds to the number of years since the model began, it must be the case that 1,000 = m(0) + b = b. So, b must be the initial population of the town, i.e. b = 1,000.

Combining these observations, we reach our final answer and may conclude that our linear model is given by:

$$P = 125t + 1,000.$$

School \_\_\_\_\_

Calculators are allowed.

- 1. Find the exact value of x satisfying  $\log_3 \sqrt{x} = \log_{\sqrt{x}} 3$  and 0 < x < 1.
- 2. Given that x and y are distinct nonzero real numbers such that
  - $x + \frac{2}{x} = y + \frac{2}{y}$

what is the value of xy?

- (A)  $\frac{1}{4}$  (B)  $\frac{1}{2}$  (C) 1 (D) 2 (E) 4
- 3. What is the square root of the largest perfect square that divides 12!?
- 4. A wire is cut into two pieces, one of length a and the other of length b. The piece of length a is bent to form an equilateral triangle, and the piece of length b is bent to form a regular hexagon. The triangle and the hexagon have equal area. What is  $\frac{a}{b}$ ?
  - (A) 1 (B)  $\frac{\sqrt{6}}{2}$  (C)  $\sqrt{3}$  (D) 2 (E)  $\frac{3\sqrt{2}}{2}$
- 5. The region in the first quadrant bounded by the line 3x + 2y = 7 and the coordinate axes is rotated about the x-axis. Approximately, what is the volume of the resulting solid?

(A) 8 units<sup>3</sup> (B) 20 units<sup>3</sup> (C) 30 units<sup>3</sup> (D) 90 units<sup>3</sup> (E) 120 units<sup>3</sup>

6. A flower bouquet contains pink roses, red roses, pink carnations, and red carnations. One third of the pink flowers are roses, three fourths of the red flowers are carnations, and six tenths of the flowers are pink. What percent of the flowers are carnations?

(A) 15 (B) 30 (C) 40 (D) 60 (E) 70

7. Let  $A_1$  be the area of a square with a side length of 1. For  $n \ge 2$ ,  $A_n = \frac{3}{4}A_{n-1}$ . Find the value of

$$\frac{A_1}{A_3} \cdot \frac{A_5}{A_7} \cdot \frac{A_9}{A_{11}} \cdot \dots \cdot \frac{A_{33}}{A_{35}} \cdot \frac{A_{37}}{A_{39}}$$

Round your answer to two decimal places.

INDIVIDUAL TEST #1 Grades 11/12

Team Name \_\_\_\_

Student	N	ame		
	10			
	(2	pts)	1.	
	(3	pts)	2.	
	(3	pts)	3.	
viece pent at is				
	(3	pts)	4.	
nate ting				
$its^3$	(3	pts)	5.	
ons. ons, ons?		. ,		
	(3	pts)	6.	
n-1.				
	(3	pts)	7.	
ТОТ	`Al	L P(	DIN	TS

45

School \_\_\_\_\_

Calculators are allowed.

- 1. Find the exact value of x satisfying  $\log_3 \sqrt{x} = \log_{\sqrt{x}} 3$  and 0 < x < 1.
- 2. Given that x and y are distinct nonzero real numbers such that

what is the value of xy?

- (A)  $\frac{1}{4}$  (B)  $\frac{1}{2}$  (C) 1 (D) 2 (E) 4
- 3. What is the square root of the largest perfect square that divides 12! ?
- 4. A wire is cut into two pieces, one of length a and the other of length b. The piece of length a is bent to form an equilateral triangle, and the piece of length b is bent to form a regular hexagon. The triangle and the hexagon have equal area. What is  $\frac{a}{b}$ ?

 $x + \frac{2}{x} = y + \frac{2}{y}$ 

- (A) 1 (B)  $\frac{\sqrt{6}}{2}$  (C)  $\sqrt{3}$  (D) 2 (E)  $\frac{3\sqrt{2}}{2}$
- 5. The region in the first quadrant bounded by the line 3x + 2y = 7 and the coordinate axes is rotated about the x-axis. Approximately, what is the volume of the resulting solid?

(A) 8 units<sup>3</sup> (B) 20 units<sup>3</sup> (C) 30 units<sup>3</sup> (D) 90 units<sup>3</sup> (E) 120 units<sup>3</sup>

6. A flower bouquet contains pink roses, red roses, pink carnations, and red carnations. One third of the pink flowers are roses, three fourths of the red flowers are carnations, and six tenths of the flowers are pink. What percent of the flowers are carnations?

$$(A) 15 (B) 30 (C) 40 (D) 60 (E) 70$$

7. Let  $A_1$  be the area of a square with a side length of 1. For  $n \ge 2$ ,  $A_n = \frac{3}{4}A_{n-1}$ . Find the value of

$$\frac{A_1}{A_3} \cdot \frac{A_5}{A_7} \cdot \frac{A_9}{A_{11}} \cdot \dots \cdot \frac{A_{33}}{A_{35}} \cdot \frac{A_{37}}{A_{39}}$$

Round your answer to two decimal places.

INDIVIDUAL TEST #1 Grades 11/12

Team Name \_\_\_\_\_

Student Name \_\_\_\_\_

(2 pts) 1.  $\frac{1}{9}$ 

(3 pts) 2. (D) 2

$$(3 \text{ pts})3. \ 2^5 \cdot 3^2 \cdot 5 = 1440$$

(3 pts) 4. (B) 
$$\frac{\sqrt{6}}{2}$$

$$(3 \text{ pts})5.$$
 (C) 30 units<sup>3</sup>

(3 pts) 6. (E) 70

(3 pts)7.  $\left(\frac{4}{3}\right)^{20} \approx 315.34$ 

TOTAL POINTS \_\_\_\_



(3 pts)5. (C) 30 units<sup>3</sup>

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_

Calculators are allowed.

- 1. Find the exact value of x satisfying  $\log_3 \sqrt{x} = \log_{\sqrt{x}} 3$  and 0 < x < 1.
  - Solution  $\frac{1}{2}\log_3 x = 2\log_x 3 \implies (\ln x)^2 = (2\ln 3)^2 \implies x = 9$  or x = 1/9 Since 0 < x < 1, x = 1/9.
- 2. Given that x and y are distinct nonzero real numbers such that

$$x + \frac{2}{x} = y + \frac{2}{y}$$

what is the value of xy?

(A)  $\frac{1}{4}$  (B)  $\frac{1}{2}$  (C) 1 (D) 2 (E) 4

**Solution** Multiplying the given equation by  $xy \neq 0$  yields  $x^2y + 2y = xy^2 + 2x \implies xy(x-y) - 2(x-y) = 0 \implies (xy-2)(x-y) = 0 \implies xy = 2$ 

3. What is the square root of the largest perfect square that divides 12!?

**Solution**  $12! = 2^{10} \cdot 3^5 \cdot 5^2 \cdot 7 \cdot 11$ . The largest perfect square is  $2^{10} \cdot 3^4 \cdot 5^2$ .

- 4. A wire is cut into two pieces, one of length a and the other of length b. The piece of length a is bent to form an equilateral triangle, and the piece of length b is bent to form a regular hexagon. The triangle and the hexagon have equal area. What is  $\frac{a}{b}$ ?
  - (B)  $\frac{\sqrt{6}}{2}$  (C)  $\sqrt{3}$  (D) 2 (E)  $\frac{3\sqrt{2}}{2}$ (A) 1

**Solution** The side length of the triangle is a/3 and the side length of the hexagon is b/6. The hexagon can be subdivided into 6 equilateral triangles by drawing segments from the center of the hexagon to each vertex. The area of the triangle is  $\frac{1}{2}\left(\frac{a}{3}\right)\left(\frac{a}{3}\frac{\sqrt{3}}{2}\right)$ . The area of the hexagon is  $6 \cdot \frac{1}{2}\left(\frac{b}{6}\right)\left(\frac{b}{6}\frac{\sqrt{3}}{2}\right)$  Because the areas of the triangle and hexagon are equal, we get  $\frac{a^2}{9} = \frac{b^2}{6}$ . Thus  $\frac{a}{b} = \frac{\sqrt{6}}{2}$ .

5. The region in the first quadrant bounded by the line 3x + 2y = 7 and the coordinate axes is rotated about the x-axis. Approximately, what is the volume of the resulting solid?

(A) 8 units<sup>3</sup> (B) 20 units<sup>3</sup> (C)  $30 \text{ units}^3$ (D) 90 units<sup>3</sup> (E) 120 units<sup>3</sup>

(3 pts) 2. (D) 2

Student Name \_\_\_\_\_

(2 pts) 1.  $\frac{1}{9}$ 

Team Name \_\_\_\_\_

INDIVIDUAL TEST #1

Grades 11/12

 $(3 \text{ pts})3. 2^5 \cdot 3^2 \cdot 5 = 1440$ 

(3 pts) 4. (B)  $\frac{\sqrt{6}}{2}$ 



Solution

**Solution** The line 3x + 2y = 7 has x-intercept 7/3 and y-intercept 7/2. The part of this line that lies in the first quadrant forms a triangle with the coordinate axes. Rotating this triangle about the x-axis produces a cone with radius 7/2 and height 7/3. The volume of this cone is  $\frac{1}{3}\pi \left(\frac{7}{2}\right)^2 \left(\frac{7}{3}\right) \approx 30$ .

6. A flower bouquet contains pink roses, red roses, pink carnations, and red carnations. One third of the pink flowers are roses, three fourths of the red flowers are carnations, and six tenths of the flowers are pink. What percent of the flowers are carnations?

(A) 15 (B) 30 (C) 40 (D) 60 (E) 70

(3 pts) 6. (E) 70

**Solution** Because six tenths of the flowers are pink and two thirds of the pink flowers are carnations,  $\frac{6}{10} \cdot \frac{2}{3} = \frac{2}{5}$  of the flowers are pink carnations. Because four tenths of the flowers are red and three fourths of the red flowers are carnations,  $\frac{4}{10} \cdot \frac{3}{4} = \frac{3}{10}$  of the flowers are red carnations. Therefore,  $\frac{2}{5} + \frac{3}{10} = \frac{7}{10} = 70\%$  of the flowers are carnations.

7. Let  $A_1$  be the area of a square with a side length of 1. For  $n \ge 2$ ,  $A_n = \frac{3}{4}A_{n-1}$ . Find the value of

$$\frac{A_1}{A_3} \cdot \frac{A_5}{A_7} \cdot \frac{A_9}{A_{11}} \cdot \dots \cdot \frac{A_{33}}{A_{35}} \cdot \frac{A_{37}}{A_{39}}$$

Round your answer to two decimal places.

(3 pts)7.  $\left(\frac{4}{3}\right)^{20} \approx 315.34$ 

**Solution**  $\frac{A_1}{A_3} = \frac{A_1}{A_2} \cdot \frac{A_2}{A_3} = \left(\frac{4}{3}\right)^2$ . Similarly, each fraction in the expression is  $\left(\frac{4}{3}\right)^2$ , and there are 10 fractions, thus the given expression is  $\left(\frac{4}{3}\right)^{20} \approx 315.34$ 

TOTAL POINTS \_\_\_\_\_

UND MATHEMATICS TRACK MEET INDIVIDUAL TEST #2Grades 11/12University of North Dakota December 19, 2023 School \_ Team Name \_\_\_\_\_ Calculators are **NOT** allowed. Student Name \_\_\_\_\_ 1. Consider two identical beakers, beaker A and beaker B. Beaker B is full of liquid and beaker A is empty. A scientist pours one third of the liquid from beaker B into beaker A. She then pours one fourth of the liquid in beaker A back into beaker B. Finally, she pours half of the liquid in beaker B back into beaker A. After this process, what fraction of the liquid is in beaker A? (c) 5/6(a) 5/8(b) 2/3(d) 7/8 (e) none of these (2 pts) 1. \_\_\_\_\_ 2. Suppose r, s > 0. A disk of radius r cm is cut into nine pieces and a second disk of radius (r+s) cm is cut into sixteen pieces. If each of the twenty-five pieces has equal area, then r/s is (b) 3/4 (c) 4/3(a) 1/3(d) 3 (e) none of these (3 pts) 2. \_\_\_\_\_ 3. For how many integers n does the equation  $x^2 + nx + 10 = 0$  have integer solutions? (c) 2 (a) 0 (b) 1 (d) 3 (e) 4 (3 pts) 3. \_\_\_\_\_ 4. A square ABCD with side 1 is given in the plan. How many points P in the plane of the square satisfy  $PA + PC + PB + PD = 2\sqrt{2}?$ (a) 0 (b) 1 (c) 2 (d) 3 (e) infinitely many (3 pts) 4. \_\_\_\_\_ 5. Evan's living room has twice as much area as Victoria's, and three times as much area as Kyle's. Kyle mops floors half as fast as Victoria and one third as fast as Evan. If they all start mopping their floor at the same time, who will finish mopping first? (a) Evan (b) Victoria (c) Kyle and Evan tie for first (d) Victoria and Kyle tie for first (e) none of these (3 pts) 5. \_\_\_\_\_ 6. Let  $p(x) = 3x^4 + ax^2 + b$  where a, b are real numbers. Suppose that p(x) has exactly three distinct real roots r,s and t with r < s < t. Which one of the following statements must be true? (a) r + t = 0 (b) s + t = 0 (c)  $rt \ge 0$  (d)  $r + s \ge 0$ (e) none of these (3 pts) 6. \_\_\_\_\_ 7. What is the number of integers m, with  $1 \le m \le 300$ , for which  $m^m$  is a perfect cube? (a) 100 (b) 101 (c) 103 (d) 104 (e) 106 (3 pts) 7. \_\_\_\_\_ TOTAL POINTS \_\_\_\_\_

	UND MATHEM University of No December 19, 2	MATICS TRAC orth Dakota 023	K MEET		]	INDIVIDUAL TEST #2 Grades 11/12	
	School				Tean	n Name	
	Calculators are	<b>NOT</b> allowed.		Key	Studen	t Name	
1.	Consider two id beaker A is emp A. She then por she pours half of fraction of the l	entical beakers, oty. A scientist p urs one fourth o of the liquid in b liquid is in beak	beaker A and be oours one third of of the liquid in b beaker B back inter er A?	eaker B. Beaker B f the liquid from b eaker A back inte to beaker A. Afte	is full of liquid and beaker B into beaker b beaker B. Finally, r this process, what		
	(a) 5/8	(b) 2/3	(c) 5/6	(d) 7/8	(e) none of these		
						(2 pts) 1. <u>A</u>	
2.	Suppose $r, s > r$ radius $(r+s)$ cr area, then $r/s$ i	0. A disk of rac m is cut into six s	lius $r$ cm is cut the teen pieces. If ea	into nine pieces a ch of the twenty-	nd a second disk of five pieces has equal		
	(a) 1/3	(b) 3/4	(c) $4/3$	(d) 3	(e) none of these		
						(3 pts) 2. <u>D</u>	
3.	For how many i	integers $n$ does t	the equation $x^2$ -	+nx+10=0 hav	re integer solutions?		
	(a) 0	(b) 1	(c) 2	(d) 3	(e) 4		
						(3 pts) 3. <u>E</u>	
4.	A square $ABCD$ with side 1 is given in the plan. How many points $P$ in the plane of the square satisfy						
$PA + PC + PB + PD = 2\sqrt{2}?$							
	(a) 0	(b) 1	(c) 2	(d) 3	(e) infinitely many		
						(3 pts) 4. <u>B</u>	
5.	Evan's living rearea as Kyle's. If they all start	bom has twice a Kyle mops floor mopping their	as much area as s half as fast as V floor at the same	Victoria's, and t Victoria and one the time, who will fi	hree times as much nird as fast as Evan. nish mopping first?		
	(a) Evan (b)	Victoria (c)	Kyle and Evan ti	ie for first			
	(d) Victoria and	d Kyle tie for fi	st		(e) none of these	$(2 \text{ mts}) \in \mathbb{D}$	
6	Let $p(r) = 3r^4$ .	$+ar^2 + b$ where	a $b$ are real nur	nbers Suppose th	nat $p(r)$ has exactly	(3 pts) 5. <u>B</u>	
0.	three distinct r statements mus	real roots $r,s$ at the true?	nd $t$ with $r < t$	s < t. Which o	ne of the following		
	(a) $r + t = 0$	(b) $s + t = 0$	(c) $rt \ge 0$	(d) $r+s \ge 0$	(e) none of these	(3 pts) 6. <u>A</u>	
7.	What is the nu cube?	umber of integer	s $m$ , with $1 \leq n$	$m \leq 300$ , for which	ch $m^m$ is a perfect		
	(a) 100	(b) 101	(c) 103	(d) 104	(e) 106		
						(3 pts) 7	
					TO	TAL POINTS	

UND MATHEMATICS TRACK MEET INDIVIDUAL TEST #2University of North Dakota Grades 11/12 December 19, 2023 School \_\_\_\_ Team Name \_\_\_\_ **Solutions** Calculators are **NOT** allowed. Student Name \_\_\_\_ 1. Consider two identical beakers, beaker A and beaker B. Beaker B is full of liquid and beaker A is empty. A scientist pours one third of the liquid from beaker B into beaker A. She then pours one fourth of the liquid in beaker A back into beaker B. Finally, she pours half of the liquid in beaker B back into beaker A. After this process, what fraction of the liquid is in beaker A? (b) 2/3(c) 5/6(d) 7/8(a) 5/8(e) none of these (2 pts) 1. <u>A</u> **Solution:** If  $\ell$  denotes the amount of liquid in B, then after the first step, the amount of liquid in A is  $\frac{1}{3}\ell$  while in B is  $(1-\frac{1}{3})\ell = \frac{2}{3}\ell$ . After the second step, the amount of liquid in A is  $(\frac{1}{3}-\frac{1}{12})\ell = \frac{1}{4}\ell$  and in B is  $(\frac{2}{3}+\frac{1}{12})\ell = \frac{3}{4}\ell$ . Finally, after the third step, the amount of liquid in A will be  $\left(\frac{1}{4\frac{3}{8}}\right)\ell = \frac{5}{8}\ell$ . The answer is (A). 2. Suppose r, s > 0. A disk of radius r cm is cut into nine pieces and a second disk of radius (r+s) cm is cut into sixteen pieces. If each of the twenty-five pieces has equal area, then r/s is (b) 3/4(c) 4/3(d) 3 (a) 1/3(e) none of these (3 pts) 2. D **Solution:** We have  $\frac{\pi r^2}{9} = \frac{\pi (r+s)^2}{16}$  giving  $4r = \pm 3(r+s)$ . Since r, s > 0, it must be that 4r = 3(r+s) implying that r = 3s. Thus, r/s = 3. The answer is (D). 3. For how many integers n does the equation  $x^2 + nx + 10 = 0$  have integer solutions? (c) 2(b) 1 (d) 3 (a) 0(e) 4 (3 pts) 3. E **Solution:** The product of the solutions must be 10, which means that the solutions must be  $\{\pm(1, 10), \pm(2, 5)\}$ . This leads to  $n = \pm 11, \pm 7$ . The answer is (E). 4. A square ABCD with side 1 is given in the plan. How many points P in the plane of the square satisfy  $PA + PC + PB + PD = 2\sqrt{2}?$ (c) 2(d) 3 (a) 0 (b) 1 (e) infinitely many (3 pts) 4. B **Solution:** We have PA + PC > AC, PB + PD > BD and the equality in both inequalities is obtained when P is on AC and BD. i.e., P is the intersection of the

$$2\sqrt{2} = PA + PC + PB + PD > AC + BD = 2\sqrt{2}$$

diagonals of the square. Therefore.

Hence, PA + PC + PB + PD = AC + BD. Thus, P is the center of the square. The answer is (B).

- 5. Evan's living room has twice as much area as Victoria's, and three times as much area as Kyle's. Kyle mops floors half as fast as Victoria and one third as fast as Evan. If they all start mopping their floor at the same time, who will finish mopping first?
  - (a) Evan(b) Victoria(c) Kyle and Evan tie for first(d) Victoria and Kyle tie for first

(e) none of these

(3 pts) 5. \_\_\_\_B

**Solution:** If a denotes Evan's living room area, then Victoria's living room area is  $\frac{a}{2}$  and Kyle's living room area is  $\frac{a}{3}$ . If v denotes Evan's mopping speed, then Kyle's mopping speed is  $\frac{v}{3}$  and Victoria's mopping speed is  $\frac{2v}{3}$ . We conclude that Evan mops the floor in  $\frac{a}{v}$  units of time, which is equal to Kyle's time, while Victoria mops the floor in  $\frac{3a}{4v}$  units of time. Therefore, Victoria will be the first person who finishes mopping. Therefore, the answer is (B).

6. Let  $p(x) = 3x^4 + ax^2 + b$  where a, b are real numbers. Suppose that p(x) has exactly three distinct real roots r, s and t with r < s < t. Which one of the following statements must be true?

(a) r + t = 0 (b) s + t = 0 (c)  $rt \ge 0$  (d)  $r + s \ge 0$  (e) none of these

**Solution:** Observe that if k is a root of p(x) then p(-k) = p(k), implying that -k is also a root of p(x). Thus we have r = -t and s = 0 and so r < 0 < t. This implies that s + t > 0, rt < 0, r + s < 0 and r + t = 0. The answer is (A).

- 7. What is the number of integers m, with  $1 \le m \le 300$ , for which  $m^m$  is a perfect cube?
  - (a) 100 (b) 101 (c) 103 (d) 104 (e) 106

**Solution:** If m = 3k then  $m^m = (m^k)^3$ , hence  $m^m$  is a perfect cube. If m = 3k + 1, then  $m^m = (m^k)^3 m$  which is a perfect cube if m is a perfect cube. If m = 3k + 2, then  $m^m = (m^k)^3 m^2$ , which is a perfect cube if m is a perfect cube. Between 1 and 300 there are 100 multiples of 3, and four numbers of the form 3k + 1 or 3k + 2 which are perfect cubes  $(1, 8 = 2^3, 64 = 4^3 \text{ and } 125 = 5^3)$ . Therefore there are 104 integers m having the desired properties. The answer is (D).

(3 pts) 6. <u>A</u>

(3 pts) 7. \_\_\_\_ D

UND MATHEMATICS TRACK MEET INDIVIDUAL TEST #3 University of North Dakota Grades 11/12 December 19, 2023 School Team Name \_\_\_\_\_ Calculators are allowed. Student Name \_\_\_\_\_ 1. In a baseball conference with 8 teams, how many games must be played so that each team plays every other team exactly once? (2 pts) 1. \_\_\_\_\_ 2. Suppose there are many socks of 4 different colors in a box: red, black, blue and yellow. Socks are randomly picked from the box one by one. What is the minimum number of socks that need to be picked from the box before 3 pairs of socks can be guaranteed? The pairs do not need to match each other, but socks within a pair must match. (3 pts) 2. \_\_\_\_\_ 3. Two different positive numbers x and y each differ from their reciprocals by 1. What is the sum of x and y? (3 pts) 3. \_\_\_\_\_ 4. David drives from his home to the airport to catch a flight. He drives 35 miles in the first hour, but realizes that he will be 1 hour late if he continues at this speed. He increases his speed by 15 miles per hour for the rest of the way to the airport and arrives 30 minutes early. How many miles is the airport from his home? (3 pts) 4. \_\_\_\_\_ 5. Compute the sum of all roots of (4x + 5)(x - 6) + (x - 3)(4x + 5) = 0(3 pts) 5. \_\_\_\_\_ 6. What is the largest prime number that divides 2023? (3 pts) 6. \_\_\_\_\_ 7. The largest circle in the figure has radius one. Seven circles are arranged in the largest circle such that the innermost circle is tangent to the six circles that surround it, and each of those circles is tangent to the large circle and to its small-circle neighbors. Find the area of the shaded region. Use  $\pi = 3.14$  and round your



answer to three decimal places.

TOTAL POINTS \_\_\_\_

(3 pts) 7. \_\_\_\_\_

School \_\_\_\_\_

Calculators are allowed.

1. In a baseball conference with 8 teams, how many games must be played so that each team plays every other team exactly once?

Key

- 2. Suppose there are many socks of 4 different colors in a box: red, black, blue and yellow. Socks are randomly picked from the box one by one. What is the minimum number of socks that need to be picked from the box before 3 pairs of socks can be guaranteed? The pairs do not need to match each other, but socks within a pair must match.
- 3. Two different positive numbers x and y each differ from their reciprocals by 1. What is the sum of x and y ?
- 4. David drives from his home to the airport to catch a flight. He drives 35 miles in the first hour, but realizes that he will be 1 hour late if he continues at this speed. He increases his speed by 15 miles per hour for the rest of the way to the airport and arrives 30 minutes early. How many miles is the airport from his home?
- 5. Compute the sum of all roots of (4x + 5)(x 6) + (x 3)(4x + 5) = 0
- 6. What is the largest prime number that divides 2023 ?
- 7. The largest circle in the figure has radius one. Seven circles are arranged in the largest circle such that the innermost circle is tangent to the six circles that surround it, and each of those circles is tangent to the large circle and to its small-circle neighbors. Find the area of the shaded region. Use  $\pi = 3.14$  and round your answer to three decimal places.



INDIVIDUAL TEST #3 Grades 11/12 Team Name \_\_\_\_\_ Student Name \_\_\_\_\_ Chat (3 pts) 1. \_\_\_28\_\_\_ and num n be

(2 pts) 2. <u>9</u>

(3 pts) 3.  $\sqrt{5}$  or 2.236

(3 pts) 4. 210 (3 pts) 5.  $\frac{13}{4}$  or 3.25

(3  pts) 6.	17
-------------	----

(3 pts) 7. <u>0.698</u>

School \_\_\_\_\_

CALCULATORS ARE NOT ALLOWED.

1. Let  $x = \sqrt{2 + \sqrt{2 + \sqrt{2 + \sqrt{2}}}}$ . Which of the following is true? (a) x < 2 (b) x = 2 (c) x > 2

- 2. If (x-1) is a factor of the polynomial  $P(x) = x^7 4x^4 + 2x^3 + 3x^2 + ax 8$ , find a.
- 3. Suppose that a and b are integers with 2a 3b = 2. Find:  $\frac{9^a}{27^b}$
- 4. Sally and Bob play the following game: Four fair coins are flipped. If exactly one of them comes up heads Bob wins. If exactly 1 of them comes up tails Bob wins. In all other cases Sally wins. What is the probability that Sally wins?
- 5. In the picture below asume that A, B, and C are collinear,  $\triangle ABD$  is equilateral, and that AB = BC = 1. What is CD?



7. In the picture below  $\Box AGHB$  and  $\Box ACDF$  are rectangles and C, G, and E are collinear. If AF = AB = 2 and BC = 1, what is EG?

(3 pts)7. \_\_\_\_\_

Total Points \_\_\_\_\_

(2 pts)1.

(3 pts)2.

(3 pts)3.

(3 pts)4.

(3 pts)5.

(3 pts)6.

Name \_\_\_\_\_

INDIVIDUAL TEST #4 Grades 11/12





UND Mathematics Track Meet University of North Dakota December 19, 2023

School \_\_\_\_

CALCULATORS ARE NOT ALLOWED.

1. Let  $x = \sqrt{2 + \sqrt{2 + \sqrt{2 + \sqrt{2}}}}$ . Which of the following is true? (a) x < 2 (b) x = 2 (c) x > 2

- 2. If (x-1) is a factor of the polynomial  $P(x) = x^7 4x^4 + 2x^3 + 3x^2 + ax 8$ , find a.
- 3. Suppose that a and b are integers with 2a 3b = 2. Find:  $\frac{9^a}{27^b}$
- 4. Sally and Bob play the following game: Four fair coins are flipped. If exactly one of them comes up heads Bob wins. If exactly 1 of them comes up tails Bob wins. In all other cases Sally wins. What is the probability that Sally wins?
- 5. In the picture below asume that A, B, and C are collinear,  $\triangle ABD$  is equilateral, and that AB = BC = 1. What is CD?

6. Find x if x is positive and  $\frac{1}{\frac{1}{x+1} + \frac{1}{x+4}} = x$ .

B

A

7. In the picture below  $\Box AGHB$  and  $\Box ACDF$  are rectangles and C, G, and E are collinear. If AF = AB = 2 and BC = 1, what is EG?



E

F

Η

G

 $(3 \text{ pts})7. 2\sqrt{5}$ 



INDIVIDUAL TEST #4

(2 pts)1. \_\_\_\_\_a (3 pts)2. \_\_\_\_6

(3 pts)3. <u>9</u>

(3 pts)4.50% or 1/2

(3 pts)5.  $\sqrt{3}$ 

 $(3 \text{ pts})6. \_2$ 



UND Mathematics Track Meet University of North Dakota December 19, 2023

School \_\_\_\_\_

INDIVIDUAL TEST #4 Grades 11/12

Name \_\_\_\_\_\_

CALCULATORS ARE NOT ALLOWED.

1. Let 
$$x = \sqrt{2 + \sqrt{2 + \sqrt{2 + \sqrt{2}}}}$$
. Which of the following is true?  
(a)  $x < 2$  (b)  $x = 2$  (c)  $x > 2$ 

Since  $\sqrt{2} < 2$ ,  $2 + \sqrt{2} < 4$  and  $\sqrt{2 + \sqrt{2}} < 2$ . We can repeat this kind of reasoning 3 more times to find that  $\sqrt{2 + \sqrt{2 + \sqrt{2 + \sqrt{2}}}} < 2$ .

2. If (x-1) is a factor of the polynomial  $P(x) = x^7 - 4x^4 + 2x^3 + 3x^2 + ax - 8$ , find a. If x - 1 is a factor of P(x), then P(1) = 0. So:

$$P(1) = 1 - 4 + 2 + 3 + a - 8 = 0$$
$$a = 6$$

3. Suppose that a and b are integers with 2a - 3b = 2. Find:  $\frac{9^a}{27^b}$ 

$$\frac{9^a}{27^b} = \frac{3^{2a}}{3^{3b}} = 3^{2a-3b} = 3^2 = 9$$

4. Sally and Bob play the following game: Four fair coins are flipped. If exactly one of them comes up heads Bob wins. If exactly 1 of them comes up tails Bob wins. In all other cases Sally wins. What is the probability that Sally wins?

There are  $2^4 = 16$  outcomes when flipping 4 coins. Of these there are 4 outcomes with exactly 1 head and 4 with exactly 1 tail. The other 8 outcomes result in a win for Sally, so her probability of winning is 8/16 = 1/2. Note: also accept 50% or 0.5, etc.

5. In the picture below asume that A, B, and C are collinear,  $\triangle ABD$  is equilateral, and that AB = BC = 1. What is CD?



The conditions imply that angle  $\angle ADC$  is a right angle since it is inscribed in a semicircle. Now AD = 1 and AC = 2, so  $CD = \sqrt{2^2 - 1^2} = \sqrt{3}$  by the Pythagorean Theorem.

6. Find x if x is positive and  $\frac{1}{\frac{1}{x+1} + \frac{1}{x+4}} = x$ .

$$\frac{1}{\frac{1}{x+1} + \frac{1}{x+4}} = x \qquad \text{multiply the left side by } \frac{(x+1)(x+4)}{(x+1)(x+4)}$$
$$\frac{(x+1)(x+4)}{(x+4) + (x+1)} = x$$
$$\frac{x^2 + 5x + 4}{2x+5} = x$$
$$x^2 + 5x + 4 = 2x^2 + 5x$$
$$x^2 = 4$$

Since x > 0 we must have x = 2.

7. In the picture below  $\Box AGHB$  and  $\Box ACDF$  are rectangles and C, G, and E are collinear. If AF = AB = 2 and BC = 1, what is EG?



Note that  $\triangle BCE$  and  $\triangle FEG$  are similar. Since EF = 2BC, it follows that EG = 2CE. The Pythagorean Theorem implies that  $CE = \sqrt{1^2 + 2^2} = \sqrt{5}$ , so  $EG = 2\sqrt{5}$ .

School \_\_\_\_\_

Calculators are allowed.

- 1. A rectangular garden is 75 feet long and 32 feet wide. Find the area of the garden. Express your answer in square feet.
- 2. The wheels of a car are exactly 2 feet in diameter. As the car travels, the wheels of the car rotate at the rate of 8 revolutions per second. How fast is the car traveling? Express your answer in feet per second, and round your answer to two decimal places. You may assume that  $\pi = 3.14159$ .
- 3. The volume of a certain sphere is exactly 75 cubic inches. Find the radius of the sphere. Express your answer in inches, and round your answer to two decimal places. You may assume that  $\pi = 3.14159$ .
- 4. A deck of 52 cards has exactly 12 "face cards," i.e. cards with a king, queen, or jack. Suppose you randomly select three cards from the deck. Find the probability that none of the selected cards is a face card. Round your answer to three decimal places.
- 5. Mrs. Lopez plans to invest a total of \$50,000 in two different types of bonds: bonds of type A and bonds of type B. Bonds of type A return a dividend of 4% per year, and bonds of type B return a dividend of 7% per year. For example, if Mrs. Lopez invests \$40,000 in bonds of type A and \$10,000 in bonds of type B, then the bonds will return a total dividend of \$40,000  $\times 0.04 + $10,000 \times 0.07 = $2,300$  per year. How much money should Mrs. Lopez invest in each type of bond if the bonds are to return a total dividend of \$3,000 per year? Round your answers to the nearest cent.
- 6. Mrs. Redfeather is designing a box. The top, the bottom, and the sides of the box are to be rectangles, but these rectangles are not necessarily of the same size. The dimensions of the box are to be x inches by 10 2x inches by 7 2x inches. Here x is a number which Mrs. Redfeather has not yet determined. Find the value of x which will result in the box with the largest possible volume. Round your answer to two decimal places. Hint: All three dimensions must be positive real numbers.
- 7. Let distinct real numbers a, b, and c be given. Suppose that a certain polynomial p(x) has real coefficients, and suppose that when p(x) is divided by x a, x b, and x c, it leaves remainders a, b, and c, respectively. What is the remainder when p(x) is divided by (x a)(x b)(x c)?

TEAM TEST #1 Grades 11/12

Team	Name
ne garden.	
	(20 pts) 1
wheels of traveling? o decimal	
	(20 pts) 2
ius of the o decimal	
	(20 pts) 3
queen, or robability æ decimal	
	(20 pts) 4
ds: bonds per year, Irs. Lopez the bonds per year. bonds are ne nearest	
	(20 pts) 5
of the box size. The hes. Here value of $x$ ur answer numbers.	
	(20 pts) 6
olynomial $x-b$ , and oder when	

(20 pts) 7. \_\_\_\_\_

- 8. What is the smallest positive integer n for which  $136^n$  will have more than 1000 digits?
- 9. Suppose that p(x) is a polynomial of degree 2 such that p(1) = 1,  $p(2) = \frac{1}{2}$ , and  $p(3) = \frac{1}{3}$ . Find p(4).
- 10. Consider a group of 6 people. Each of the six people knows exactly one piece of information, and all 6 pieces of information are different. Every time person "A" calls person "B" on the telephone, "A" tells "B" everything he or she knows, while "B" tells "A" nothing. What is the minimum number of telephone calls between pairs of people needed for everyone to know everything?

(20 pts) 8. \_\_\_\_\_

(20 pts) 9. \_\_\_\_\_

(20 pts) 10.

TOTAL POINTS \_\_\_\_\_

Answer hey

School \_\_\_\_\_

Calculators are allowed.

- 1. A rectangular garden is 75 feet long and 32 feet wide. Find the area of the garden. Express your answer in square feet.
- 2. The wheels of a car are exactly 2 feet in diameter. As the car travels, the wheels of the car rotate at the rate of 8 revolutions per second. How fast is the car traveling? Express your answer in feet per second, and round your answer to two decimal places. You may assume that  $\pi = 3.14159$ .
- 3. The volume of a certain sphere is exactly 75 cubic inches. Find the radius of the sphere. Express your answer in inches, and round your answer to two decimal places. You may assume that  $\pi = 3.14159$ .
- 4. A deck of 52 cards has exactly 12 "face cards," i.e. cards with a king, queen, or jack. Suppose you randomly select three cards from the deck. Find the probability that none of the selected cards is a face card. Round your answer to three decimal places.
- 5. Mrs. Lopez plans to invest a total of \$50,000 in two different types of bonds: bonds of type A and bonds of type B. Bonds of type A return a dividend of 4% per year, and bonds of type B return a dividend of 7% per year. For example, if Mrs. Lopez invests \$40,000 in bonds of type A and \$10,000 in bonds of type B, then the bonds will return a total dividend of \$40,000  $\times 0.04 + $10,000 \times 0.07 = $2,300$  per year. How much money should Mrs. Lopez invest in each type of bond if the bonds are to return a total dividend of \$3,000 per year? Round your answers to the nearest cent.
- 6. Mrs. Redfeather is designing a box. The top, the bottom, and the sides of the box are to be rectangles, but these rectangles are not necessarily of the same size. The dimensions of the box are to be x inches by 10 2x inches by 7 2x inches. Here x is a number which Mrs. Redfeather has not yet determined. Find the value of x which will result in the box with the largest possible volume. Round your answer to two decimal places. Hint: All three dimensions must be positive real numbers.
- 7. Let distinct real numbers a, b, and c be given. Suppose that a certain polynomial p(x) has real coefficients, and suppose that when p(x) is divided by x-a, x-b, and x-c, it leaves remainders a, b, and c, respectively. What is the remainder when p(x) is divided by (x-a)(x-b)(x-c)?

TEAM TEST #1 Grades 11/12

Team Name

(20 pts) 1. 2400 Square feet.

(20 pts) 2. 50,27 ft/sec

(20 pts) 3. \_\_\_\_\_ inches

(20 pts) 4. 0,447 16,666.67 in type A, 33,333.33 in type B, (20 pts) 5. \_\_\_\_

(20 pts) 6. <u>1, 35</u>

The polynomial  $(20 \text{ pts}) 7. \frac{r(x)}{5} = \times,$ or  $5054 \times.$ 

Answer Key

- 8. What is the smallest positive integer n for which  $136^n$  will have more than 1000 digits?
- 9. Suppose that p(x) is a polynomial of degree 2 such that p(1) = 1,  $p(2) = \frac{1}{2}$ , and  $p(3) = \frac{1}{3}$ . Find p(4).
- 10. Consider a group of 6 people. Each of the six people knows exactly one piece of information, and all 6 pieces of information are different. Every time person "A" calls person "B" on the telephone, "A" tells "B" everything he or she knows, while "B" tells "A" nothing. What is the minimum number of telephone calls between pairs of people needed for everyone to know everything?

(20 pts) 8.  $\underline{n \ge 469}$  or j'04+ 469 (20 pts) 9.  $\underline{\frac{1}{2}}$ (20 pts) 9

(20 pts) 10. <u>lo calks or just</u> 10 TOTAL POINTS \_\_\_\_\_

Team Test #1 Grades 11/12 December 19,2023 75 x 32 = (2400 square feet. Ľ, 2, Circumference of wheel = 211 r = TX digmeter = M12 22T feet. Speed = 8 revolutions 217 feet Sec. revolutions revolution 16 TT ft, = 16 x 3,14159 = (50,27 feet) 3 Let <u>r</u>=radius of sphere,  $V = \frac{4}{5} \Pi r^3 = 75.$  $\Pi V^3 = \frac{3}{4}, 75$  $V^{3} = \frac{3(75)}{4\Pi} = \frac{3(75)}{75}$ 4(3,14159)  $\frac{3}{4(3.14159)}$ r 2,62 inches

amper 11,20 Team Test #1 Grades 11/12 December 19, 2023 4. I magine that you select the cards in succession. So you randomly gelect one card. Then you select another card from the remaining 51 cards. Then you select a third card from the remaining 50 cards, We let P( event) denote the probability of an event P(first card is not a face card) = 40 P(Second cand is not a face cand, given that first is not a face cand) = 39 51 P(Third card is not a face card, given that first two are not face cards) 38 -- 50---P(None of the three are face cands) =  $\frac{40}{52} \cdot \frac{39}{51} \cdot \frac{38}{50} = (0.447)$ 

Team Test #1 Grades 11/12 December 19, 2023 5 Let A = the amount of money, in dollars, that Mrs, Lopez invests in bonds of type A. Let B = the amount of money, in dollars that she invests in bonds of type B Then A + B = 50000 and 0,04 A + 0,07 B = 3000,00 But then B=50,000 - A, SU 0.04A + 0.07 (5000-A) = 3000,00 (0,07)(90,000) + 0,04A -0,07A = 3000,00 (0.07) (50,000) - 3,000,00 = 0.03 A (0.07)(50,000) - 3,000,00 - A 0.03 50 A = 16,666,67, But B = 50,000 - A = 50,000 - 16,666.67 = 33,333,33 Mrs, Lopez Should invest \$ 16,666.67 in bonds of type A, and 1 # 33, 333. 33 in bonds of type B.

Team Test Al Grades 11/12 December 19,2023 6 All three dimensions must be positive real numbers, So ×70, 10-2×70, 7-2×70, 1072x, 7 > 2x,  $5 > \chi$ ,  $2 > \chi$ , Thug Ocx < 3 = 3.5 The volume of the box will be V(x)=x(10-2x)(7-2x)  $\mathbf{X}^{-}$ 10-28 7-2X Us graph the function y= X(10-2x)(7-2x) on a graphing calculator. Use Use an initial viewing window of 05 x 5 by 05 y 5 By repeatedly zooming in, we find that the largest possible volume occurs when (X= 1.35

Team Test #1 Grades 11/12 December 19,2023 By the Division Algorithm, there 7 and polynomials ga(x), gb(x), and gc(x) such that  $p(x) = (x - a)q_a(x) + a$ ,  $p(x) = (x - b)q_b(x) + b$ ,  $p(x) = (x - c) q_c(x) + c.$ Thus (\*) p(a) = a, p(b) = b, and p(c) = c. We may apply the Division Algorithm again, we find that (\*\*) p(x) = (x-a)(x-b)(x-c)q(x) + v(x)Here q (x) and r (x) are polynomials and r(x) has degree at most 2. By (D) and (#\*), r(a) = p(a) = a, r(b) = p(b) = b, and r(c) = P(c) = c, Thus r(a)=a, r(b)=b, and r(c)=c. Now let 5 (x) = r(x) - x. Then G(x) has degree at most 2. If s(x) is not the Zero polynomial, than S(x) can have at Most the distinct zeros, But  $S(a) = r(a) - a = a - a = 0, \quad S(b) = r(b) - b = b - b = 0,$ 

Team Test #1 Grades 11/12 December 19, 2023 #7, and s(c) = r(c) - c = c - c = 0 continued Thus six has three distinct 2+ros, THUS SIXI = O FOR All X ER, Thus rixi=x for all x ER, The desired remainder is thus the polynomial X,

TRAM Test #1 Grades 11/12 December 19, 2023 9 If we were to write out the number 10,000, we would write the digit 1 followed by 1000 O'S. Thus 10'000 is the smallest positive integer with more than 1000 digits Suppose (\*) 136<sup>×</sup> = 10<sup>1000</sup>, Then 109 136 × = 109 101000 Here log denotes the logarithm to base 10, Thus × log 136 = 1000, and x = 1000 From a calculator, 109 136 ue find that x = 468, 70,rounded to two decimal places Thus 136469 × 101000 and 136469 > 101000 So 136468 has less than 1001 digits and 136469 has at 1295+ 1001 digits So 136469 has more than 1000 digits but 136468 does not have more than 1000 digits So the smallest positive integer n for which 136" has more than 1000 digits is n=469.

Team Test #1 Grades 11/12 December 19, 2023. 9 Consider the polynomial q(x) = x p(x) -1, Note that q(x) has degree 3 Also note that "  $q_{-}(1) = 1 \cdot p(1) - 1 = 1 \cdot 1 - 1 = 0,$   $q_{-}(2) = 2 \cdot p(2) - 1 = 2 \cdot \frac{1}{2} - 1 = 1 - 1 = 0, \text{ and}$ q(3)= 3 P(3)-1= 3:3 -1=1-1=0. Thus q(x) = c(x-1)(x-2)(x-3) for some nonzero constant C But q(0) = 0 p(0) - 1 = -1, 50C(-1)(-2)(-3)=-1, Thus C= 6, and hence q(x) = -(x-1)(x-2)(x-3) $= \frac{1}{6}(3)(2) \cdot 1 = 1$  $\frac{5}{9}$  (4) = 1,  $B_{c+1} = (x) = x P(x) - 1$ , 50 g (4) = 4 P(4) - 1, and hence = 4 P(4)-1, Thus 2= 4P(4), and  $\frac{2}{4} = P(4)$ . .  $(50 p(4) = \frac{1}{2})$ 

Team Test Al Grades 11/12 December 19, 2023 #9 It may be worth while to note that there continued does in fact exist a polynomial p(x) of the type discussed in this problem.  $p(x) = \frac{1}{6} x^2 - x + \frac{11}{6}$ Le t Then P(1)= 6-1+11=12-1=1,  $P(1) = \frac{4}{6} - 2 + \frac{11}{6} = \frac{15}{6} - \frac{12}{6} = \frac{3}{6} - \frac{1}{2}$  and  $P(3) = \frac{9}{6} - 3 + \frac{11}{6} = \frac{20}{7} - 3 = \frac{20 - 18}{6} = \frac{2}{5} = \frac{1}{5}$ 

Team Test HI. Grades 11/12 December 19, 2023 Let PI, P2, P3, P4, P5, and P6 denote the Six people. 10, Let p; > p; denote a call from p; to p; Let N denote the minimum number of calls which can leave everyone fully informed. The following sequence of calls leaves everyone informed:  $P_1 \rightarrow P_2$ ,  $P_2 \rightarrow P_3$ ,  $P_3 \rightarrow P_4$ ,  $P_4 \rightarrow P_5$ ,  $P_5 \rightarrow P_6$ P6 3 P1, P, J P2, P2 J P3, P3 JP4, P4 - J P5 The sequence consists of 10 calls, so  $N \leq 10$ . We will now show that N 210, Consider any sequence of calls which leaves evenyone fully informed. Consider the "crucial" call at the end of which the receiver becomes the first person to Know everything. Let V denote the receiver of the crucial call Immediately after the crucial call, each of the other Fire people Must have made at loast one call, Otherwise, r would not know everything, So at least five calls have been made. But none of the other five people (other than r) knows everything. In order for each of the other five people to become fully informed,
Team Test #1 Grad +4 11/12 December 19,2023 each of these other fire people must 1 #10, receive at least one call, So at continued least five additional telephone ralls MUGt occor But at least five calls have already occorred. Note that 5+5=10. So for all six people to know avery thing a total of at least 10 telephone calls must occur. So N≥10, But NEID, as we saw earlier. So N=10. So the minimum number of 19/15 required for everyone to know everything is 10.

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_\_

Calculators are **NOT** allowed.

- 1. Recall  $i^2 = -1$ . Simplify  $i + i^2 + i^3 + i^4 + \dots + i^{2023}$  as much as possible.
- 2. What is the period of  $y = \cos\left(\frac{2023x}{\pi^2}\right)$ ?
- 3. Determine the diameter of the circle given by  $4x^2 24x + 4y^2 16y = 48$ .
- 4. In terms of  $\log x$ , find the average of  $\log x$ ,  $\log x^2$ ,  $\log x^3$ ,  $\log x^4$ , and  $\log x^5$ .
- 5. Find the proportion of a circle's area which lies closer to its center than its boundary.
- 6. Two bracelets are considered the same design if one can be flipped and rotated to match the other. If a bracelet is made using 6 different charms, how many possible designs are there for the bracelet?
- 7. Let R be the rectangle bounded by the x-axis, y-axis, and lines y = 2 and x = 3. What is the probability that a randomly point  $(x, y) \in R$  satisfies 1 < x + y < 3?
- 8. Assume today is Tuesday. What day of the week will it be in 2023 days?
- 9. In the form y = mx + b, find the equation of line passing through  $(\pi^3, \pi^2)$  and perpendicular to  $y = \frac{\pi}{2}x + \pi^3$ .
- 10. Traffic lights on a certain road are red with probability  $\frac{2}{5}$ . What is the probability that none of the next three traffic lights are red? Assume traffic lights are independent.

Team Name \_\_\_\_\_

(20 pts) 1. \_\_\_\_\_

(20 pts) 2. \_\_\_\_\_

(20 pts) 3.

(20 pts) 4. \_\_\_\_\_

(20 pts) 5. \_\_\_\_\_

(20 pts) 6. \_\_\_\_\_

(20 pts) 7. \_\_\_\_\_

(20 pts) 8. \_\_\_\_\_

`	1	/		
(00		) 10		
(20)	pts	5) 10.		
·	-	/		

(20 pts) 9.

TOTAL POINTS \_\_\_\_\_

UND MATHEMATICS TRACK MEET University of North Dakota December 19, 2023

School \_\_\_\_\_

## Key

TEAM TEST #2Grades 11/12

Team Name \_\_\_\_\_

(20 pts) 10.  $\frac{27}{125}$  or 0.216

	Calculators are <b>NOT</b> allowed.	
1.	Recall $i^2 = -1$ . Simplify $i + i^2 + i^3 + i^4 + \dots + i^{2023}$ as much as possible.	
		(20 pts) 1. <u>-1</u>
2.	What is the period of $y = \cos\left(\frac{2023x}{\pi^2}\right)$ ?	
		(20 pts) 2. $\frac{2\pi^3}{2023}$
3.	Determine the diameter of the circle given by $4x^2 - 24x + 4y^2 - 16y = 48$ .	
		(20 pts) 3. <u>10</u>
4.	In terms of $\log x$ , find the average of $\log x$ , $\log x^2$ , $\log x^3$ , $\log x^4$ , and $\log x^5$ .	
		(20 pts) 4. $3 \log x$
5.	Find the proportion of a circle's area which lies closer to its center than its boundary.	(20, 1) = 1
		(20 pts) 5. $\frac{1}{4}$ or 0.25
6.	Two bracelets are considered the same design if one can be flipped and rotated to match the other. If a bracelet is made using 6 different charms, how many possible designs are there for the bracelet?	
		(20 pts) 6. <u>60</u>
7.	Let R be the rectangle bounded by the x-axis, y-axis, and lines $y = 2$ and $x = 3$ . What is the probability that a randomly point $(x, y) \in R$ satisfies $1 < x + y < 3$ ?	
		(20 pts) 7. $\frac{7}{12}$
8.	Assume today is Tuesday. What day of the week will it be in 2023 days?	
		(20 pts) 8. <u>Tuesday</u>
9.	In the form $y = mx + b$ , find the equation of line passing through $(\pi^3, \pi^2)$ and perpendicular to $y = \frac{\pi}{2}x + \pi^3$ .	
		(20 pts) 9. $y = -\frac{2}{\pi}x + 3\pi^2$
10.	Traffic lights on a certain road are red with probability $\frac{2}{5}$ . What is the probability that none of the next three traffic lights are red? Assume traffic lights are independent.	

Math Track Meet 2023 Team Test #2 Grades 11/12 Solutions

**1.** The key observation is that four consecutive powers of *i* sums to 0. For example,  $i + i^2 + i^3 + i^4 = i - 1 - i + 1 = 0$ . Thus

$$i + i^{2} + i^{3} + i^{4} + \dots + i^{2023} = i^{2021} + i^{2022} + i^{2023} = i - 1 - i = -1.$$

**2.** The period P of  $y = \cos(Bx)$  is  $P = \frac{2\pi}{B}$ . It follows that the period of  $y = \cos\left(\frac{2023x}{\pi^2}\right)$  is  $P = \frac{2\pi}{2023/\pi^2} = \frac{2\pi^3}{2023}$ .

3. Observe

$$4x^{2} - 24x + 4y^{2} - 16y = 48$$
  

$$x^{2} - 6x + y^{2} - 4y = 12$$
  

$$(x - 3)^{2} + (y - 2)^{2} = 12 + 9 + 4 = 25$$

Thus the radius of the circle is  $r = \sqrt{25} = 5$  and so the diameter is d = 2r = 2(5) = 10.

4. The average is

$$\frac{\log x + \log x^2 + \log x^3 + \log x^4 + \log x^5}{5} = \frac{\log(x \cdot x^2 \cdot x^3 \cdot x^4 \cdot x^5)}{5} = \frac{\log(x^{15})}{5} = \frac{15\log x}{5} = 3\log x$$

5. For a circle with radius r, points with distance less than r/2 from the center lie closer to the center than its boundary. So, the proportion of a circle's area closer to its center than its boundary is  $\frac{\pi(r/2)^2}{\pi r^2} = \frac{1}{4}$  or 0.25.

6. There are 5! ways to order 6 different charms. Each bracelet can be paired with its flipped version, so this gives  $\frac{5!}{2} = \frac{120}{2} = 60$  designs.

7. Let A be the region of R which satisfies 1 < x + y < 3 as depicted below.



The area of R is 2(3) = 6. The area of A is  $6 - \frac{1}{2}1(1) - \frac{1}{2}2(2) = 6 - \frac{1}{2} - 2 = \frac{7}{2}$ . It follows that the desired probability is

$$\frac{\text{Area of } A}{\text{Area of } R} = \frac{7/2}{6} = \frac{7}{12}.$$

8. Since 2023 = (289)(7), it follows that in 2023 days will be Tuesday.

**9.** Lines perpendicular to  $y = \frac{\pi}{2}x + \pi^3$  have slope  $-\frac{2}{\pi}$  and form  $y = -\frac{2}{\pi}x + b$ . Fitting to the point  $(\pi^3, \pi^2)$ , we see that  $b = \pi^2 + \frac{2}{\pi}(\pi^3) = \pi^2 + 2\pi^2 = 3\pi^2$ . Thus the equation of the desired line is  $y = -\frac{2}{\pi}x + 3\pi^2$ .

10. The probability a traffic light not being red is  $1 - \frac{2}{5} = \frac{3}{5}$ . Since the lights are independent, use the product rule for probability to conclude that the probability of no red lights in three traffic lights is  $\frac{3}{5} \cdot \frac{3}{5} = \frac{27}{125} = 0.216$ .